









REVISIONS		Revision		Equipment Schedule	
No.	Date	By			
05	4/23/20	ddb			
06	12/28/20	ddb			





1	1 EA	VFRY18	FRYER	34 RISER
70	MBTU	1.25	MANIFOLD	
120	(1)	3.0A	5-15	
2	1 EA	VCBB36B	CHAR BROILER	
99	MBTU	1.25	MANIFOLD	
3	1 EA	CUSTOM	WORK TOP	REFRIGERATED
120	(1)	6.7A	5-15	
			VERIFY ALL PIPE SIZES	REMOTE BY OTHERS
4	1 EA	VBB36S	RANGE	
260	MBTU	1.25	MANIFOLD	
5	1 EA	VBB36S	RANGE	
260	MBTU	1.25	MANIFOLD	
6	1 EA	VVT18	SPREADER	
0	MBTU	1.25	MANIFOLD	
7	1 EA	V2P36	PLANCHA	
35	MBTU	0.75	MANIFOLD	
8	1 EA	CUSTOM	WORK TOP	REFRIGERATED
120	(1)	6.7A	5-15	
			VERIFY ALL PIPE SIZES	REMOTE BY OTHERS
9	1 EA	BY OTHERS	CHEESE METLER	PASS THRU
30	MBTU	0.75	78 AFF	
10	1 EA	CUSTOM	REF BASE	
120	(1)	6.7A	5-15	
			VERIFY ALL PIPE SIZES	REMOTE BY OTHERS
11	1 EA	CUSTOM	END CABINET	
120	(1)	VERIFY	HEAT LAMPS	
12	1 EA	CUSTOM	END CABINET	
CW	0.50	34 AFF		
IW	1.00	26 AFF		
208	(1)	12.0A	6-15	VERIFY

#### GENERAL NOTES - PLEASE READ

VENTILATION:  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

10-09-2019  
12-04-2019  
04-23-2020 : 04:23:47a

+	CONNECTION POINT
C	COLD WATER
H	HOT WATER
HC	HOT + COLD WATER
D	DRAIN
P	POWER
S	SWITCH
CS	CORD SET
CO	CONV OUTLET RECP
CD	DUPLEX RECP
SD	SINGLE RECP
G	GAS
SS	STEAM SUPPLY
SR	STEAM RETURN
ST	STEAM TAKE OFF
VE	EXHAUST VENT
VS	SUPPLY VENT
RF	REFRIGERATION

PROJECT CODE  
**SUNB4**