



Quote

06/04/2019

Project:
Jeanette MS & HS/SIGSERV

From:
Vollrath Company LLC
Julie Hein
1236 North 18th Street
PO Box 611
Sheboygan, WI 53082-0611
920-457-4851
800-342-4078 6609 (Contact)

Pricing valid for 90 days from date on quote.


All PRICES ARE SUBJECT TO CHANGE without notice; and orders placed for future delivery will be invoiced at the prices in effect at the time of shipment. Freight prepaid by Vollrath with \$3,000 net order. Carrier chosen by Vollrath. Guaranteed delivery dates, dedicated carriers, or other special freight requests are not included in program and will be charged back to customer.

V-CLASS CUSTOM ITEMS ARE NOT PART OF THE PRE-PAID FREIGHT PROGRAM.

A \$5.00 broken case charge will be added for each broken case.
NOTE: Non-returnable items include, but are not limited to, ware washing racks, Lid Saver, heat strips, plate covers and custom made products. All other items incur a 25% re-stocking fee.

On all custom equipment and material orders, Vollrath will provide drawings for your approval. Lead-time starts when approved drawings are received. Custom built units require 6 to 10 weeks to build, depending on product and level of complexity. The lead time for buyout equipment and materials will have a direct effect on overall product lead time. Lead times and ship dates will not be confirmed without verification from outside vendors.

PLEASE PROVIDE QUOTE WITH YOUR ORDER.

Item	Qty	Description	Sell	Sell Total
1	1 ea	SERVING COUNTER, UTILITY Vollrath Model No. M98711 Signature Server® Heated Shelf & 2-Pan NSF7 Station with Stainless Steel Countertop, 88"W x 32"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF	\$17,080.81	\$17,080.81
				
Modified base size & equipment				
1 ea	1 year warranty against defects in materials & workmanship			
1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard			
1 ea	98836 All stainless finish, for 88" Signature Server®, visible seam each end of base			
1 ea	9879506 Upgrade to 14 gauge stainless steel work surface for, 88"			

Item	Qty	Description	Sell	Sell Total
		Signature Server® Utility Station (required for this breath guard)		
1 ea		FC-4HS-42120-BKF INSTALL ON OPER-RIGHT: Flush Mount Heated Shelf, drop-in, 44"W, for use with countertops up to 2" thick, dual warming zones, (9) heat settings, digital thermostatic control, black aluminum hardcoat finish, 549 watts, 120v/60/1-ph, 4.6 amps, power & control cord, NEMA 5-15P, cULus, NSF		
1 ea		FC-4C-02120-N INSTALL ON OPER-LEFT: NSF7 Refrigerated Cold Pan, drop-In, 2-pan, 6-5/8" deep well, accommodates standard 12" x 20" pans with adaptor bars, drip-free flange, polyurethane foam insulated, 300 series stainless steel, 20 gauge galvanized exterior housing, self contained refrigeration, 1/5 HP, 120v/60/1-ph, cord, NEMA 5-15P, 3.5 amps, cULus, NSF, Made in USA		
1 ea		MA98654 Adjustable Contemporary Breath Guard for 88" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
		Mid-post centered between drop-ins		
1 ea		Brushed stainless finish		
1 ea		M91 Cayenne® heat strip w/incandescent lights, for 6-well Contemporary breath guard, onboard control w/toggles, aluminum extruded housing w/calrod heating element, adjustable reflectors, mounts to countertop with 1" stainless tube		
		Heat & lights over heated shelf		
		Lights only over 2-Pan NSF7		
1 ea		98829-2-O OPERATOR: 88"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®, two 44" sections		
1 ea		9883150-2-C CUSTOMER: 88"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®, two 44" sections		
1 ea		98790 Open storage w/bottom shelf (bag-in-a-box), stainless steel, for 88"W Signature Server®, reinforced shelf, 16½"H opening, opening width depends on unit type		
1 ea		36946 Internal duplex receptacle for field unit (milk cooler): 120v, 4a Located oper-left end		

ITEM TOTAL: \$17,080.81

2	1 ea	SERVING COUNTER, HOT FOOD, ELECTRIC	\$11,911.66	\$11,911.66
---	------	--	-------------	-------------




Vollrath Model No. M37040
Signature Server® 4-Well Hot Station, 60"W x 32"D x 34"H, (4) 6-3/8" deep full size wells, 625 watts per well, standard Touch-Temp® programmable infinite control for each well, manifold drains, equipment integrated with countertop for seamless & easy-to-clean surface, pull-out ½" drain valve, 18ga/300 series stainless steel top & wells with 1" turndown and welded and polished corners, 18ga/400 series stainless steel enclosed base, stainless steel unibody construction, includes 8' cord & plug, cULus, NSF4, Made in USA

Modified base size

Item	Qty	Description	Sell	Sell Total
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	9876908 Infinite Dial Controls, with power indicator lights, for Signature Server® Counter with (4) hot wells, 208/240v		
	1 ea	36694 All stainless finish, for 60" Signature Server®, visible seam each end of base		
	1 ea	9879204 Upgrade to 14 gauge stainless steel work surface for, (4) well 60" Signature Server® Hot Food Base (required for this breath guard)		
	1 ea	98652 Adjustable Contemporary Breath Guard for 60" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
		Add mid-post for additional full-serve/self-serve flexibility		
	1 ea	Brushed stainless finish		
	1 ea	59 Cayenne® heat strip w/incandescent lights, for 6-well Contemporary breath guard, onboard control w/toggles, aluminum extruded housing w/calrod heating element, adjustable reflectors, mounts to countertop with 1" stainless tube		
	1 ea	3751350-2-O OPERATOR: 60"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®		
	1 ea	3752350-2-C CUSTOMER: 60"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®		
	1 ea	36983 Open storage w/bottom shelf (bag-in-a-box), stainless steel, for 46"W Signature Server®, reinforced shelf, 16½"H opening, opening width depends on unit type		
			ITEM TOTAL:	\$11,911.66
3	1 ea	UTILITY STATION Vollrath Model No. M37015 Signature Server® Cashier/Utility Station, 28"W x 32"D x 34"H, 16ga/300 series stainless steel top with 1" turndown and welded and polished corners, 18ga/400 series stainless steel open base with stainless bottom shelf, reinforced stainless steel unibody construction, cULus, NSF, Made in USA	\$2,990.89	\$2,990.89
		Modified base size		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36697 All stainless finish, for Signature Server® Cashier/Utility Station, visible seam each end of base		
	1 ea	3751150-2-O OPERATOR: 28"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®		
	1 ea	3752150-2-C CUSTOMER: 28"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®		
	1 ea	36946 Internal duplex receptacle for field unit (Hatco sandwich slide): ELEC TBD		
			ITEM TOTAL:	\$2,990.89



Item	Qty	Description	Sell	Sell Total
4	1 ea	UTILITY STATION Vollrath Model No. M37015 Signature Server® Cashier/Utility Station, 28"W x 32"D x 34"H, 16ga/300 series stainless steel top with 1" turndown and welded and polished corners, 18ga/400 series stainless steel open base with stainless bottom shelf, reinforced stainless steel unibody construction, cULus, NSF, Made in USA ***Modified base size*** 1 ea 1 year warranty against defects in materials & workmanship 1 st SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard 1 ea 36697 All stainless finish, for Signature Server® Cashier/Utility Station, visible seam each end of base 1 ea 3752150-2-C CUSTOMER: 28"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server® 1 ea 36945 Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate 1 ea 36946 Duplex Receptacle, for cashier stand, 120v, 10 amp (includes 2" diameter cutout)	\$3,138.13	\$3,138.13
			ITEM TOTAL:	\$3,138.13
THIS MARKS THE CENTERLINE OF THE MIRRORED LINEUP				
5	1 ea	UTILITY STATION Vollrath Model No. M37015 Signature Server® Cashier/Utility Station, 28"W x 32"D x 34"H, 16ga/300 series stainless steel top with 1" turndown and welded and polished corners, 18ga/400 series stainless steel open base with stainless bottom shelf, reinforced stainless steel unibody construction, cULus, NSF, Made in USA ***Modified base size*** 1 ea 1 year warranty against defects in materials & workmanship 1 st SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard 1 ea 36697 All stainless finish, for Signature Server® Cashier/Utility Station, visible seam each end of base 1 ea 3752150-2-C CUSTOMER: 28"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server® 1 ea 36945 Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate 1 ea 36946 Duplex Receptacle, for cashier stand, 120v, 10 amp (includes 2" diameter cutout)	\$3,138.13	\$3,138.13
			ITEM TOTAL:	\$3,138.13
6	1 ea	UTILITY STATION	\$2,990.89	\$2,990.89


Item	Qty	Description	Sell	Sell Total
		Vollrath Model No. M37015 Signature Server® Cashier/Utility Station, 28"W x 32"D x 34"H, 16ga/300 series stainless steel top with 1" turndown and welded and polished corners, 18ga/400 series stainless steel open base with stainless bottom shelf, reinforced stainless steel unibody construction, cULus, NSF, Made in USA		
		Modified base size		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36697 All stainless finish, for Signature Server® Cashier/Utility Station, visible seam each end of base		
	1 ea	3751150-2-O OPERATOR: 28"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®		
	1 ea	3752150-2-C CUSTOMER: 28"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®		
	1 ea	36946 Internal duplex receptacle for field unit (Hatco sandwich slide): ELEC TBD		
ITEM TOTAL:				\$2,990.89
7	1 ea	SERVING COUNTER, UTILITY	\$14,810.46	\$14,810.46



Vollrath Model No. M37022
Signature Server® 3-Well Hot/Cold Dual Temp Serving Counter, 60"W x 32"D x 34"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA

Modified base size & equipment

- 1 ea 1 year warranty against defects in materials & workmanship
- 1 st SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard
- 1 ea 36694 All stainless finish, for 60" Signature Server®, visible seam each end of base
- 1 ea FC-6HC-03208-AD INTEGRATE W/COUNTERTOP:
Hot/Cold Well, (3) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 10.2amp, 120/208-240v/60/1-ph, cord with NEMA 14-20P, cULus, NSF, Made in USA
- 1 ea 9879504 Upgrade to 14 gauge stainless steel work surface for, 60" Signature Server® Utility Station (required for this breath guard)
- 1 ea 98652 Adjustable Contemporary Breath Guard for 60" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA
- 1 ea Brushed stainless finish
- 1 ea 14 Fluorescent Lighting Fixture, with prismatic lens cover, for (4) well Contemporary breath guard, aluminum housing, UL, cULus (bulb

Item	Qty	Description	Sell	Sell Total
		included)		
	1 ea	3751350-2-O OPERATOR: 60"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®		
	1 ea	3752350-2-C CUSTOMER: 60"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®		
			ITEM TOTAL:	\$14,810.46
8	1 ea	SERVING COUNTER, UTILITY Vollrath Model No. M98711 Signature Server® Heated Shelf & 2-Pan NSF7 Station with Stainless Steel Countertop, 88"W x 32"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF	\$17,080.81	\$17,080.81
				
		Modified base size & equipment		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	98836 All stainless finish, for 88" Signature Server®, visible seam each end of base		
	1 ea	9879506 Upgrade to 14 gauge stainless steel work surface for, 88" Signature Server® Utility Station (required for this breath guard)		
	1 ea	FC-4HS-42120-BKF INSTALL ON OPER-LEFT: Flush Mount Heated Shelf, drop-in, 44"W, for use with countertops up to 2" thick, dual warming zones, (9) heat settings, digital thermostatic control, black aluminum hardcoat finish, 549 watts, 120v/60/1-ph, 4.6 amps, power & control cord, NEMA 5-15P, cULus, NSF		
	1 ea	FC-4C-02120-N INSTALL ON OPER-RIGHT: NSF7 Refrigerated Cold Pan, drop-In, 2-pan, 6-5/8" deep well, accommodates standard 12" x 20" pans with adaptor bars, drip-free flange, polyurethane foam insulated, 300 series stainless steel, 20 gauge galvanized exterior housing, self contained refrigeration, 1/5 HP, 120v/60/1-ph, cord, NEMA 5-15P, 3.5 amps, cULus, NSF, Made in USA		
	1 ea	MA98654 Adjustable Contemporary Breath Guard for 88" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
		Mid-post centered between drop-ins		
	1 ea	Brushed stainless finish		
	1 ea	M91 Cayenne® heat strip w/incandescent lights, for 6-well Contemporary breath guard, onboard control w/toggles, aluminum extruded housing w/calrod heating element, adjustable reflectors, mounts to countertop with 1" stainless tube		
		Heat & lights over heated shelf		
		Lights only over 2-Pan NSF7		
	1 ea	98829-2-O OPERATOR: 88"W x 7"D, 18ga stainless steel plate rest on		

Item	Qty	Description	Sell	Sell Total
		fold-down & lift-off brackets for Signature Server®, two 44" sections		
1 ea		9883150-2-C CUSTOMER: 88"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®, two 44" sections		
1 ea		98790 Open storage w/bottom shelf (bag-in-a-box), stainless steel, for 88"W Signature Server®, reinforced shelf, 16½"H opening, opening width depends on unit type		
1 ea		36946 Internal duplex receptacle for field unit (milk cooler): 120v, 4a Located oper-right end		
			ITEM TOTAL:	\$17,080.81
			Total	\$73,141.78

Thank you for the opportunity to quote this project!

Joe Lillibridge

SR. PROJECT DEVELOPER, THE VOLLRATH CO., LLC

1236 N. 18th Street, Sheboygan, WI 53081

O: 920.459.5455 | jlillibridge@vollrathco.com | vollrathcompany.com

Outperform every day.™

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$73,141.78