



Quote

02/04/2021

Project:

Hohokam Elementary School / 4-Series - Rev C

From:

Tom Redditt Sales Agency-Phoenix
Bob Tully
10211 N. 32nd St.
Suite C3
Phoenix, AZ 85028-3843
(602)277-0805
(602)277-0805 (Contact)

Job Reference Number: 31199

6-SERIES ITEMS ARE NOT PART OF STANDARD VOLLRATH PROGRAMS AND DO NOT QUALIFY FOR THE FREE FREIGHT PROGRAM.

Payment - Standard payment terms are 50% with order, 35% prior to ship and 15% on net 30 days from Date of Invoice, unless otherwise agreed.

Pricing - All quoted prices to Buyer are valid for 90 days from the quoted date, after which time they are subject to change at Seller's discretion.

Storage Fees - In the event Buyer receipt of shipment is delayed 10 business days or more beyond the scheduled and agreed to date, Buyer shall compensate Seller \$100 per day per trailer for storage of completed goods or work in process whether stored at Seller's facility or an independent storage company's facility.

Change Fees - Any changes made by Buyer after Seller's receipt of purchase order and drawing sign off are subject to change fees determined and assessed at the discretion of Seller.

Expediting Fees - Seller will respond to requests to expedite fabrication and shipment on request. Expediting is subject to additional fees, which need to be agreed to and paid by Buyer.


Item	Qty	Description	Net	Net Total
1	1 ea	SERVING COUNTER, UTILITY Vollrath Model No. M-37023 4-Series Signature Server® Utility Serving Counter, 74"W x 32"D x 34"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA Modified Base - Modifications Include: - Unit to Accept Vollrath Four Well Hot/Cold Integrated Into Counter - FC-6HC-04208-AD - Depth Modified to Accept Hot/Cold	\$18,398.72	\$18,398.72
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS 4-Series Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36682 Matte Laminate finish for 4-Series Signature Server® with Stainless Steel Countertops 74"W units with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350,		

Item	Qty	Description	Net	Net Total
		Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
1 ea		9879505 Upgrade to 14 gauge stainless steel work surface for, 74"W 4-Series Signature Server® Utility Station		
1 ea		375241450-2-C 4-Series Signature Server® V-rib Tray Slide, for customer side, 74"W x 12"D, fold-down/lift-off brackets, 14/300 series stainless steel		
1 ea		98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base		
1 ea		98817-C Install plate rest or tray slide at height other than standard mounting height, Height above finished floor must be specified, Customer Side		
		30" A.F.F		
1 ea		FC-6HC-04208-AD INTEGRATED W/COUNTERTOP: Hot/Cold Well, Drop-In, top mount, (4) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 12.8 amps, 120/208-240v/60/1-ph, cord with NEMA 14-20P, cULus, NSF, Made in USA		
1 ea		Vollrath FP N98627 NSF2 (2011) Contemporary Breath Guard, cafeteria with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, tempered glass end panels, for use with Vollrath (5) well 4-Series Signature Server® with stainless steel countertops, mounts to stainless steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA (contact Vollrath for dimensions)		
1 ea		Vollrath FP 10 Brass		
1 ea		Vollrath FP NO LIGHT OR HEAT No lights or heating, standard, no charge		
1 ea		M- 9875905 Skirting, for 74"W 4-Series Signature Server®, removable 2-piece design, stainless steel		
		* Skirting Modified to Have 3" Center Gap on Operator Side for Cord/Plug Access		
			ITEM TOTAL:	\$18,398.72

Item	Qty	Description	Net	Net Total
2	1 ea	SERVING COUNTER, UTILITY Vollrath Model No. M37023 4-Series Signature Server® Utility Serving Counter, 66"W x 32"D x 30"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA Modified Base - Modifications Include: - Unit to Be 66" Long x 32" Deep x 30" Tall	\$5,550.94	\$5,550.94
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS 4-Series Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36682 Matte Laminate finish for 4-Series Signature Server® with Stainless Steel Countertops 66"W units with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350, Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
	1 ea	9879505 Upgrade to 14 gauge stainless steel work surface for, 4-Series Signature Server® Utility Station (required for this breath guard)		
	1 ea	375241450-2-C 4-Series Signature Server® V-rib Tray Slide, for customer side, 66"W x 12"D, fold-down/lift-off brackets, 14/300 series stainless steel		
	1 ea	36985 Open Storage, for 66"W 4-Series Signature Server®, with reinforced bottom shelf (Bag-In-A-Box), 16-1/2"H opening (opening width depends on unit type), stainless steel		
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base		
	1 ea	M -9875905 Skirting, for 66"W 4-Series Signature Server®, removable 2- piece design, stainless steel		
		* Skirting Modified to Have 3" Center Gap on Operator Side for Cord/Plug Access		
ITEM TOTAL:				\$5,550.94

Item	Qty	Description	Net	Net Total
3	1 ea	SERVING COUNTER, UTILITY Vollrath Model No. M-37023 Signature Server® 4-Pan NSF7 Cold Station with Stainless Steel Countertop, 66"L x 32" W x 30"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF Modified Base - Modifications Include: - Unit to Accept Vollrath Four Well NSF7 Cold Pan - Depth Modified to Match Other Counters	\$12,582.41	\$12,582.41
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS 4-Series Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36682 Matte Laminate finish for Signature Server® with Stainless Steel Countertop 66" Units with stainless steel corner & edge protectors (choose from WilsonArt, Formica, Nevamar & standard finishes **contact factory for specialty laminate request**)		
	1 ea	9879505 14ga Stainless Steel Countertop (req'd for this breath guard)		
	1 ea	MAN98653 Two Tiered Over Shelf Speed Serve Style Unit with LED Light Strip on Top Level		
	1 ea	Brushed stainless steel, standard		
	1 ea	FC-4C-04120-N NSF7 Refrigerated Cold Pan, drop-In, 4-pan, 6-5/8" deep well, accommodates standard 12" x 20" pans with adaptor bars, drip-free flange, polyurethane foam insulated, 300 series stainless steel, 20 gauge galvanized exterior housing, self contained refrigeration, 1/3 HP, 120v/60/1-ph, cord, NEMA 5-15P, 7.8 amps, cULus, NSF, Made in USA (contact Vollrath for lead time)		
	1 ea	270300114-2-C 4-Series Signature Server® V-rib Tray Slide, for customer side, 66"W x 12"D, fold-down/lift-off brackets, 14/300 series stainless steel		
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base		
	1 ea	M -9875905 Skirting, for 66"W 4-Series Signature Server®, removable 2-piece design, stainless steel		
		* Skirting Modified to Have 3" Center Gap on Operator Side for Cord/Plug Access		
			ITEM TOTAL:	\$12,582.41

Item	Qty	Description	Net	Net Total
4	1 ea	SERVING COUNTER, UTILITY Vollrath Model No. M-37021 4-Series Signature Server® Utility Serving Counter, 46"W x 32"D x 34"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA Modified Base - Modifications Include: - Unit to Be 32" Deep - Unit to Have Cashier Style Opening on End of Unit	\$5,157.96	\$5,157.96
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS 4-Series Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36680 Matte Laminate Finish for 4-Series Signature Server® with Stainless Steel Countertops Corner Station & 46"W units with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350, Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
	1 ea	No breath guard		
	1 ea	375221450-2-C 4-Series Signature Server® V-rib Tray Slide, for customer side, 46"W x 12"D, fold-down/lift-off brackets, 14/300 series stainless steel		
	1 ea	M-36981 Cashier Style Storage Area on End of Unit		
	1 ea	98850 Work surface flange modified with line-up locks, Keyhole slots on diagonal corners with stainless slide attached to side of base		
	1 ea	98817-C Install plate rest or tray slide at height other than standard mounting height, Height above finished floor must be specified, Customer Side **30" A.F.F**		
	1 ea	36945 4-Series Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate		
	1 ea	36946 Internal Duplex Receptacle, with countertop cutout & grommet, 120v/60/1-ph		
	1 ea	M -9875903 Skirting, for 46"W 4-Series Signature Server®, removable 2- piece design, stainless steel * Skirting Modified to Have 3" Center Gap on Operator Side for Cord/Plug Access		
ITEM TOTAL:				\$5,157.96

Item	Qty	Description	Net	Net Total
5	1 ea	CASH REGISTER STAND Vollrath Model No. 37015 4-Series Signature Server® with Stainless Steel Countertops, 34" high ADA Cashier Station, 28"W, 28"D, modular, without cashier drawer, operator side open with stainless steel floor, NSF	\$3,533.19	\$3,533.19
				
	1 st	SS4CASTERS 4-Series Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36685 Matte Laminate finish for 4-Series Signature Server® with Stainless Steel Countertops Cashier Station with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350, Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
	1 ea	375211450-2-C 4-Series Signature Server® V-rib Tray Slide, for Customer side, 28" W x 12"D, fold-down/lift-off brackets, 14/300 series stainless steel		
	1 ea	98817-C Install plate rest or tray slide at height other than standard mounting height, Height above finished floor must be specified, Customer Side		
		30" A.F.F		
	1 ea	36945 4-Series Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate		
	1 ea	36946 Internal Duplex Receptacle, with countertop cutout & grommet, 120v/60/1-ph		
	1 ea	M-9875901 Skirting, for 28"W 4-Series Signature Server®, removable 2- piece design, stainless steel		
		* Skirting Modified to Have 3" Center Gap on Operator Side for Cord/Plug Access		
			ITEM TOTAL:	\$3,533.19
6	2 ea	SERVING COUNTER, PARTS & ACCESSORIES Vollrath Model No. M9883901 Filler Panels, 34"H, to attach to end of unit to cover electrical tower. 16" Wide x 34" High	\$443.92	\$887.84
			ITEM TOTAL:	\$887.84
Total				\$46,111.06

Thank you for the opportunity to quote this project!

Anthony Bruni

Project Developer, THE VOLLRATH CO., LLC

Phone: 585.337.3825 | anthony.bruni@vollrathco.com | www.vollrath.com

Outperform every day.™