
















LISBN

LISBN





THE VOLLRATH CO., LLC

04-16-21



COPYRIGHT 2021

SHEBOYGAN, WI





- Server 1 | Qty 2  
 Cold Food Counter  
 A (1) 4 Pan Nsf7 Cold Well  
 B Casters : 4" (2) w/Brakes  
 C Customer Side V Rib Tray  
 Slide w/ Lift-off Brackets  
 D Operator Side Plate Rest  
 w/ Lift-off Bracket  
 E Drain : 1\2" w/ Ball Valve  
 F Velocity Breath Guard

NSF Single Side Buffet  
 Adjustable Front Panel  
 Full Width S-S  
 End Panels Both Sides  
 Buffet Style End Panels



#### Finishes And Materials

Top : \*\* 14 Ga SST  
 Body : Standard Black  
 Trim : Standard SST  
 Tray Rail : 18 Ga SST  
 Plate Rest : 18 Ga SST  
 Breath Grd : Brushed SST



VOLTS 120 60 ELECTRICAL  
 1 1/2 NEMA 5-15  
 3.5 A

PLUMBING CW: -  
 HW: -  
 WASTE: (1) Ø.5" INDIRECT

LISBN

LISBON









04-16-21

COPYRIGHT 2021

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



Server 2 | Qty 1  
Cold Food Counter  
A (1) 4 Pan Nsf7 Cold Well  
B Casters : 4" (2) w/Brakes  
C Customer Side V Rib Tray  
Slide w/ Lift-off Brackets  
D Operator Side V Rib Tray  
Slide w/ Lift-off Brackets  
E Drain : 1\2" w/ Ball Valve  
F Velocity Breath Guard

NSF Double Side Buffet  
Adjustable Front Panel  
Full Width S-S  
End Panels Both Sides  
Buffet Style End Panels

#### Finishes And Materials

Top : \*\* 14 Ga SST  
Body : Standard Black  
Trim : Standard SST  
Tray Rail : 18 Ga SST  
Breath Grd : Brushed SST

VOLTS 120 60 ELECTRICAL  
Ø 1 1/2 NEMA 5-15  
3.8 A

PLUMBING CW: -  
HW: -  
WASTE: (1) Ø.5" INDIRECT



LISBN

LISBON







THE VOLLRATH CO., LLC

04-16-21  
COPYRIGHT 2021  
SHEBOYGAN, WI



**A Top Layout Operator L-R**

- (2) Dropin Napkin Dispenser  
Supplied And Installed By Vollrath
- (4) Dropin Flatware Dispenser  
Supplied And Installed By Vollrath
- (8) Dropin Condiment Dispenser  
Supplied And Installed By Vollrath



Server 3 | Qty 1  
Utility Counter  
A Custom Configuration  
B Casters : 4" (2) w/Brakes

**Finishes And Materials**

Top : \*\* 14 Ga SST  
Body : Standard Black  
Trim : Standard SST

LISBN


LISBON



THE VOLLRATH CO., LLC

04-16-21  
COPYRIGHT 2021  
SHEBOYGAN, WI









A Top Layout Operator L-R

Heated Shelf  
Tstat Controls  
Supplied And Installed By Vollrath

Open Work Top  
Sandwich Slide Or  
Refrigerated Display  
Supplied And Installed By Vollrath



Server 4 | Qty 1  
Utility Counter


- A Custom Counter Width & Depth
- B Casters : 4" (2) w/Brakes
- C Customer Side V Rib Tray Slide w/ Lift-off Brackets
- D Operator Side Plate Rest w/ Lift-off Bracket
- E Storage Shelf w/o Doors
- F Velocity Breath Guard

NSF Single Side Buffet  
Adjustable Front Panel  
Full Width S-S  
End Panels Both Sides  
Buffet Style End Panels

#### Finishes And Materials

Top : \*\* 14 Ga SST  
Body : Standard Black  
Trim : Standard SST  
Tray Rail : 18 Ga SST  
Plate Rest : 18 Ga SST  
Heated Shelf : 18 Ga SST  
Breath Grd : Brushed SST

VOLTS 208  
Ø 1  
13.7 A



ELECTRICAL  
NEMA 14-20

| Equipment      | Voltage | L1Amp | L2Amp |
|----------------|---------|-------|-------|
| Heat Strip     | 120     | 5.3   | 0.0   |
| Heated Shelf   | 120     | 5.2   | 0.0   |
| Snadwich Slide | 120     | 0.0   | 13.7  |
| Total Amps     |         | 10.4  | 13.7  |



LISBN

LISBON





THE VOLLRATH CO., LLC

04-16-21  
COPYRIGHT 2021  
SHEBOYGAN, WI





Server 5 | Qty 1  
Utility Counter  
A Custom Configuration  
B Custom Counter Width & Depth  
C Casters : 4" (2) w/Brakes  
D Customer Side V Rib Tray Slide w/ Lift-off Brackets  
E Operator Side Plate Rest w/ Lift-off Bracket  
F Storage Shelf w/o Doors  
G Velocity Breath Guard  
NSF Single Side Buffet  
Adjustable Front Panel  
Full Width S-S  
End Panels Both Sides  
Buffet Style End Panels



#### Finishes And Materials

Top : \*\* 14 Ga SST  
Body : Standard Black  
Trim : Standard SST  
Tray Rail : 18 Ga SST  
Plate Rest : 18 Ga SST  
Heated Shelf : 18 Ga SST  
Breath Grd : Brushed SST



VOLTS 120 60 ELECTRICAL  
Ø 1 1/2 W Ø NEMA 5-15  
8.7 A

| Equipment     | Voltage | LI Amp |
|---------------|---------|--------|
| Hot/cold Well | 120     | 5.2    |
| Cold Well     | 120     | 3.5    |
| Total Amps    |         | 8.7    |



PLUMBING CW: -  
HW: -  
WASTE: (2) Ø.5" INDIRECT  
LISBN

LISBON





THE VOLLRATH CO., LLC



04-16-21  
COPYRIGHT 2021  
SHEBOYGAN, WI



Server 6 | Qty 1 | Item 6L  
 Cashier Station  
 A Custom Counter Depth  
 B Casters : 4" (2) w/Brakes  
 C Operator LH Side V Rib  
 Tray Slide w/ Lift-off  
 Brackets  
 D Storage Shelf w/o Doors  
 E Cash Drawer  
 F Receptacle And Cord  
 Grommet



Finishes And Materials  
 Top : 16 Ga SST  
 Body : Standard Black  
 Trim : Standard SST  
 Tray Rail : 18 Ga SST  
 HeatedShelf : 18 Ga SST



VOLTS 120  
 10.0 Max A  
 60  
 1  
 ELECTRICAL  
 NEMA 5-15



LISBN

LISBON



**VOLLRATH**

THE VOLLRATH CO., LLC



04-16-21  
 COPYRIGHT 2021  
 SHEBOYGAN, WI



Server 7 | Qty 1 | Item 6R  
 Cashier Station  
 A Custom Counter Depth  
 B Casters : 4" (2) w/Brakes  
 C Operator RH Side V Rib  
 Tray Slide w /Lift-off  
 Brackets  
 D Storage Shelf w/o Doors  
 E Cash Drawer  
 F Receptacle And Cord  
 Grommet



Finishes And Materials  
 Top : 16 Ga SST  
 Body : Standard Black  
 Trim : Standard SST  
 Tray Rail : 18 Ga SST  
 HeatedShelf : 18 Ga SST



VOLTS 120  
 1  
 10.0 Max A  
 60  
 1  
 1  
 ELECTRICAL  
 NEMA 5-15

LISBN

LISBON

**VOLLRATH**

THE VOLLRATH CO., LLC

04-16-21  
 COPYRIGHT 2021  
 SHEBOYGAN, WI

## GENERAL NOTES - PLEASE READ

### CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

### DIMENSIONS:

ALL DIMENSIONS SHOWN ARE  $\pm 1/4"$

### CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

### BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

### NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

|                                                                                     |                  |
|-------------------------------------------------------------------------------------|------------------|
|  | CONNECTION POINT |
|  | COLD WATER       |
|  | HOT WATER        |
|  | HOT + COLD WATER |
|  | DRAIN            |
|  | POWER            |
|  | SWITCH           |
|  | CORD SET         |
|  | CONV OUTLET RECP |
|  | DUPLEX RECPTACLE |
|  | SINGLE RECPTACLE |
|  | REFRIGERATION    |



## CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

04-16-2021

04-16-2021 : 09:47:11a

LISBN

LISBON



THE VOLLRATH CO., LLC

04-16-21

COPYRIGHT 2021  
SHEBOYGAN, WI