Specifications

07/07/2021

Tο Project From 4 Star Reps Bethlehem - vh - pw772021 4 Star Reps **Phyllis White** Steve Heraty Serving PA, NJ, and DE Serving NJ, PA &, DE PA & , DE 267-522-8991 267-522-8991 267-522-8991 (Contact) 267-522-8991 3 (Contact)

ITEM 1 - HD RANGE, 24" WORK TOP (1 REQ'D)

Vulcan Model VWT24B Dimensions: 36(h) x 24(w) x 36.75(d)

V Series Heavy Duty Range, 24", work top, storage base, cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, CSA, NSF



- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model FRTTOP-60WLD Front Top Ledge, 60" overlapping & welded
- 1 ea Model V24SD Single-deck hi-shelf riser, non-overlapping, 24"
- 1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)

GAS STEAM


	SIZE	MBTU	KW	CONN		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"				1					

ITEM 2 - HD RANGE, 36" WORK TOP (1 REQ'D)

must add this)

Vulcan Model VWT36B Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, 36", work top, cabinet base, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs



cheesemelter or either of the salamanders on a back riser above the heavy duty range, you

1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)

GAS

	SIZE	MBTU	KW	CONN
1	1-1/4"			
2	3/4"	30.0		

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					
2					

ITEM 3 - GAS FLOOR FRYER (1 REQ'D)

Vulcan Model VFRY18 Dimensions: 48.38(h) x 18(w) x 40(d)

V Series Heavy Duty Range Match Fryer, gas, 18", 45-50 lb. fat capacity, electronic ignition, 3/4" regulator, stainless steel exterior finish, 6" adjustable legs, 70,000 BTU, CSA, NSF

- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor, 5 year limited fry tank warranty, standard
- 1 ea Gas type to be specified
- 1 ea Controls voltage: 120v/60/1-ph, NEMA 5-15P, standard
- 1 ea 3/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model VSPGARD FRYER Removable Splash Guard, 10", stainless steel, for fryer
- 1 ea Model CRUMB-SCREEN Mesh Crumb Screen, 1/4"
- 1 ea Model VFR134B 18"W x 34"H Fryer riser, for dump station with basket hanger, for fryer
- 1 st Model CASTERS-VULSCR Set of 4 adjustable casters, 6" overall height, battery screw mount, (2) with brakes

ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	МОСР
1	120	60	1	Cord & Plug		5-15P					

GAS

	SIZE	MBTU	KW	CONN
1	3/4"	70.0		

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					

ITEM 4 - HD RANGE, 24" CHARBROILER (1 REQ'D)

Vulcan Model VCBB24B Dimensions: 36(h) x 24(w) x 36.75(d)

V Series Heavy Duty Range, gas, 24", charbroiler, cast iron grates & char-radiants, storage base, cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, 65,000 BTU, CSA, NSF

- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" front manifold connection
- 1 ea Front manifold: cap & cover, left
- 1 ea Model FRTTOP-78WLD Front Top Ledge, 78" overlapping & welded
- 1 ea Model V24ST22 Single-deck height riser, no shelf, non-overlapping, 24"
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)



GAS

	SIZE	MBTU	KW	CONN
1	1-1/4"	65.0		

STEAM

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					

ITEM 5 - HD RANGE, 36", 6 OPEN BURNERS (1 REQ'D)

Vulcan Model V6B36C Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF

- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea Natural gas (specify elevation if over 2,000 ft.)
- 1 ea Model PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: open
- 1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard
- 1 ea Model 22SHS54 Overlapping Single-deck hi-shelf, solid shelf, 22" high, 54"
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)

- O O O O

ELECTRICAL

_		VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
	1	115	60	1	Cord & Plug			4				

GAS STEAM

	SIZE	MBTU	KW	CONN
1	1-1/4"	242.0		

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					

ITEM 6 - HD RANGE, 18", FRENCH HOT TOP (1 REQ'D)

Vulcan Model V1FT18B Dimensions: 36(h) x 18(w) x 36.75(d)

V Series Heavy Duty Range, gas, 18", French top, polished cast iron, individual pilots & controls, cabinet base, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 25,000 BTU, CSA, NSF



- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Natural gas (specify elevation if over 2,000 ft.)
- 1 ea NOTE: A regulator must be used on this equipment
- 1 ea 1-1/4" front manifold connection
- 1 ea Front manifold: cap & cover, right
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)

GAS STEAM

	SIZE	MBTU	KW	CONN		INLET SIZE
1	1-1/4"	25.0			1	

	INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1					

ITEM 7 - HD RANGE, 36" WORK TOP (1 REQ'D)

Vulcan Model VWT36B Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, 36", work top, cabinet base, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs

- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 2 ea Model SLIDE-UNIV Additional universal slides, for cabinet base
- 1 ea Model V36SD Single-deck hi-shelf riser, non-overlapping, 36"
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)



GAS STEAM

	SIZE	MBTU	KW	CONN		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"				1					

ITEM 8 - HD RANGE, 18", FRENCH HOT TOP (1 REQ'D)

Vulcan Model V1FT18B Dimensions: 36(h) x 18(w) x 36.75(d)

V Series Heavy Duty Range, gas, 18", French top, polished cast iron, individual pilots & controls, cabinet base, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 25,000 BTU, CSA, NSF



- 1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Natural gas (specify elevation if over 2,000 ft.)
- 1 ea Model PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model V18SD Single-deck hi-shelf riser, non-overlapping, 18"
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)


GAS STEAM

	SIZE	MBTU	KW	CONN		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"	25.0			1					

ITEM 9 - PASTA COOKER, GAS (1 REQ'D)

Vulcan Model VCPG CUSTOM Dimensions: 17(w) x 33.5(d)

Heavy Duty Pasta Cooker, Gas, single chamber, standing pilot, safety pilot valve, bulk rectangle pasta basket with removable handles, triple fiberglass mylar insulation, 6" (152 mm) high flue riser with stainless steel cap, stainless steel construction, 60,000 BTU



1 ea Gas type to be specified

GAS



	SIZE	MBTU	KW	CONN	
1	3/4"	60.0			1

		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
Ī	1					



WATER

HOT HOT HOT COLD COLD **FILTERED FILTERED CONDENSER CONDENSER** SIZE **AFF GPH** SIZE **AFF** SIZE AFF **INLET SIZE OUTLET SIZE** 1 1/2"

WASTE

	INDIRECT SIZE	DIRECT SIZE
1	1-1/4"	

ITEM 10 - HD RANGE, 36", 6 OPEN BURNERS (1 REQ'D)

Vulcan Model V6B36S Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 260,000 BTU, CSA, NSF

1 ea	NOTE: Item qualifies for a no charge equipment check out after the unit has been fully
	installed & put into service, contact your Vulcan Representative for more details

1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information

1 ea 1 year limited parts & labor warranty, standard

1 ea Natural gas (specify elevation if over 2,000 ft.)

1 ea Model PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)

1 ea 1-1/4" rear gas connection, standard

1 ea Rear gas connection: cap & cover, left

1 ea Model FRTTOP-72WLD Front Top Ledge, 72" overlapping & welded

1 ea <Optional> 650 degree Oven thermostat with 1/2" steel deck

1 ea Model V36SD Single-deck hi-shelf riser, non-overlapping, 36"

1 st Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)


GAS STEAM

	SIZE	MBTU	KW	CONN		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"	260.0			1					

ITEM 11 - HD RANGE, 18", CHARBROILER (1 REQ'D)

Vulcan Model VCBB18 Dimensions: 13.75(h) x 18(w) x 36.75(d)

V Series Heavy Duty Range, gas, 18", modular, charbroiler, cast iron grates, char-radiants, individual pilots & controls, burner dividers, stainless steel front, front top ledge, side, base, burner box & stub back, 4" flanged feet, 49,000 BTU, CSA, NSF



1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information

1 ea 1 year limited parts & labor warranty, standard

1 ea Gas type to be specified

1 ea 1-1/4" front manifold connection

1 ea Front manifold location to be specified

GAS STEAM

	SIZE	MBTU	KW	CONN		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"	49.0			1					

ITEM 12 - HD RANGE, 18", PLANCHA (1 REQ'D)

Vulcan Model V1P18 Dimensions: 13.75(h) x 18(w) x 36.75(d)

V Series Heavy Duty Range, gas, 18", modular, Plancha top, 1/2" polished steel plate, individual pilots & controls, 3-sided grease trough, stainless steel front, front top ledge, sides, base, burner box & stub back, 4" flanged feet, 17,500 BTU, CSA Flame, CSA Star, NSF

1 ea NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details





07/07/2021

Bethlehem - vh - pw772021

- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" front manifold connection
- 1 ea Front manifold: cap & cover, right
- 1 ea Model VCB136 36" Cabinet base only
- 2 ea Model SLIDE-UNIV Additional universal slides, for cabinet base
- 1 ea Model V36ST22 Single-deck height riser, no shelf, non-overlapping, 36"
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)

GAS


STEAM

	SIZE	MBTU	KW	CONN		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"	17.5			1					

ITEM 13 - HD RANGE, 36" WORK TOP (1 REQ'D)

Vulcan Model VWT36B Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, 36", work top, cabinet base, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs



- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 ea Model FRTTOP-48WLD Front Top Ledge, 48" overlapping & welded
- 2 ea Model SLIDE-UNIV Additional universal slides, for cabinet base
- 1 ea Model 22SHS48 Overlapping Single-deck hi-shelf, solid shelf, 22" high, 48"
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)


GAS STEAM

	SIZE	MBTU	KW	CONN	_		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
1	1-1/4"					1					

ITEM 14 - HD RANGE, 12", WORK TOP (1 REQ'D)

Vulcan Model VWT12B Dimensions: 36(h) x 12(w) x 36.75(d)

V Series Heavy Duty Range, 12", work top, storage base with cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, CSA, NSF



- 1 ea NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends
- 1 st Model CASTERS-ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks)

GAS STEAM

	SIZE	MBTU	KW	CONN
1	1-1/4"			

		INLET SIZE	RETURN SIZE	LB/HR	PSIG (MIN)	PSIG (MAX)
Ī	1					

