

Subject: Bobby Nahra Bistro Drawing
From: Rob Reilly <rob@hri-inc.com>
Date: 3/16/2021, 4:37 PM
To: "ddb@davidbethel.com" <ddb@davidbethel.com>
CC: Mitch Reilly <mitch@hri-inc.com>

Hi David,

Could you please provide a drawing based on quote in links below and picture attached? Call with questions.

[View "Bobby Nahra Bistro" Quote](#)

[Download "Bobby Nahra Bistro"](#)

Thanks,



Rob Reilly

HRI, Inc.


(313) 251-2799 | rob@hri-inc.com

www.hri-inc.com

20515 Stephens - St. Clair Shores, MI 48080



— Bobby Nahra Bistro.jpg —



Attachments:


Bobby Nahra Bistro.jpg

550 KB

Subject: RE: Bobby Nahra Bistro Drawing
From: Mitch Reilly <mitch@hri-inc.com>
Date: 3/17/2021, 9:06 AM
To: David Bethel <ddb@davidbethel.com>
CC: Rob Reilly <rob@hri-inc.com>

Hi David,

Please see revised quote and drawing.



Mitch Reilly
HRI, Inc.
586-771-0335
586-854-7600 (M)
mitch@hri-inc.com

From: David Bethel <ddb@davidbethel.com>
Sent: Wednesday, March 17, 2021 8:31 AM
To: Rob Reilly <rob@hri-inc.com>
Cc: Mitch Reilly <mitch@hri-inc.com>
Subject: Re: Bobby Nahra Bistro Drawing

Good morning,

Please give us a call to discuss

Regards -David

VH-WESLY

03-17-2021

+++++

Item 1 <-> Please Verify : Modular Base

Item 1 <-> Note :

Adj Casters Req'd To Mate Refrig Base

Item 3 <-> Clarifications Needed:

Sketch and And Quote Do Not Match

Item 3 <-> Please Verify :

Item 4 <-> Please Verify :

Item All <-> Please Verify : Gas Connections and Locations

+++++

Thanks! -David

David Bethel

Fabricated Designs, Inc.

<http://www.davidbethel.com>

v. 757-595-5949

ddb@davidbethel.com

On 3/16/2021 4:37 PM, Rob Reilly wrote:

Hi David,

Could you please provide a drawing based on quote in links below and picture attached? Call with questions.

[View "Bobby Nahra Bistro" Quote](#)

[Download "Bobby Nahra Bistro"](#)

Thanks,



Rob Reilly

HRI, Inc.

[\(313\) 251-2799](tel:(313)251-2799) | rob@hri-inc.com

www.hri-inc.com

20515 Stephens - St. Clair Shores, MI 48080



— Attachments: —

Bobby_Nahra_Bistro.pdf

114 KB