

Subject: REVISION: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA # 2 | DUE: 09.12.19

From: Joe Lillibridge <jlillibridge@vollrathco.com>

Date: 9/11/2019, 12:57 PM

To: David Bethel <ddb@davidbethel.com>

CC: James Edson <james.edson@vollrathco.com>, Michael Komendat <mkomendat@vollrathco.com>, Anthony Bruni <anthony.bruni@vollrathco.com>, Joshua Monroe <joshua.monroe@vollrathco.com>

Please change NSF7 to standard refrigeration.

-----Original Message-----

From: David Bethel <ddb@davidbethel.com>

Sent: Wednesday, September 11, 2019 5:14 AM

To: Joe Lillibridge <jlillibridge@vollrathco.com>

Cc: Joe Lillibridge <jlillibridge@vollrathco.com>; James Edson <james.edson@vollrathco.com>; Michael Komendat <mkomendat@vollrathco.com>; Anthony Bruni <anthony.bruni@vollrathco.com>; Joshua Monroe <joshua.monroe@vollrathco.com>

Subject: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA # 2

09-11-2019 : 05:48:41a

--

Direct Link : <http://www.davidbethel.com/W2HSA>

WACO 2 HIGH SCHOOL ALA CART - JOE LILLIBRIDGE - W2HSA VL-W2HSA : WACO 2 HIGH SCHOOL ALA CART

Created 09-11-2019 : 05:02:53.am

+++++

09-11-2019

Server 6 <-> Assumptions:

Beverage Air UC34 Refrig

+++++

Thanks! -David

You can now login for your project files on the WEB @

Direct Link: <http://www.davidbethel.com/W2HSA>

Login Code : W2HSA

David Bethel

Fabricated Designs, Inc.

<http://www.davidbethel.com>

v. 757-595-5949

ddb@davidbethel.com

Subject: REVISION: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 3 | DUE DATE: 10.04.19
From: Joe Lillibridge <jlillibridge@vollrathco.com>
Date: 10/1/2019, 4:53 PM
To: David Bethel <ddb@davidbethel.com>
CC: James Edson <james.edson@vollrathco.com>, Michael Komendat <mkomendat@vollrathco.com>, Anthony Bruni <anthony.bruni@vollrathco.com>, Joshua Monroe <joshua.monroe@vollrathco.com>

David,

Can you reverse the layout of server 6?
Also, can you change server 5 to FAC?
Can you add another 4-pan FAC (same specs as server #3 main line unit)?

Thanks,
Joe

-----Original Message-----

From: David Bethel <ddb@davidbethel.com>
Sent: Thursday, September 12, 2019 10:13 AM
To: Joe Lillibridge <jlillibridge@vollrathco.com>
Cc: Joe Lillibridge <jlillibridge@vollrathco.com>; James Edson <james.edson@vollrathco.com>; Michael Komendat <mkomendat@vollrathco.com>; Anthony Bruni <anthony.bruni@vollrathco.com>; Joshua Monroe <joshua.monroe@vollrathco.com>
Subject: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 3

09-12-2019 : 10:40:50a

--

Direct Link : <http://www.davidbethel.com/W2HSA>

WACO 2 HIGH SCHOOL ALA CART - JOE LILLIBRIDGE - W2HSA VL-W2HSA : WACO 2 HIGH SCHOOL ALA CART
Created 09-11-2019 : 05:02:53.am

+++++

09-12-2019

Server 5 <-> Update : Standard Cold Well

+++++

09-11-2019

Server 6 <-> Assumptions:
Beverage Air UC34 Refrig

+++++

Thanks! -David

You can now login for your project files on the WEB @

Direct Link: <http://www.davidbethel.com/W2HSA>

Login Code : W2HSA

David Bethel
Fabricated Designs, Inc.
<http://www.davidbethel.com>
v. 757-595-5949
ddb@davidbethel.com

Subject: RE: REVISION: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - RFI
From: Joe Lillibridge <jlillibridge@vollrathco.com>
Date: 10/15/2019, 10:38 AM
To: David Bethel <ddb@davidbethel.com>

#7

Server 5:
32"
No slim post
No, storage is next to nothing

Server 6:
Yes

-----Original Message-----

From: David Bethel <ddb@davidbethel.com>
Sent: Tuesday, October 15, 2019 4:01 AM
To: Joe Lillibridge <jlillibridge@vollrathco.com>
Cc: James Edson <james.edson@vollrathco.com>; Michael Komendat <mkomendat@vollrathco.com>; Anthony Bruni <anthony.bruni@vollrathco.com>; Joshua Monroe <joshua.monroe@vollrathco.com>
Subject: Re: REVISION: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - RFI

Crazy time !!!

W2HSA - RFI

Server New
What is the new item number

Server 5
Drop In 4 Pan Force Air
30" or 32" F-B
Slim Line BG Post
Does The Storage Stay The Same Height

Server 6
Do we need 6 casters on this 1

-David

David Bethel
Fabricated Designs, Inc. v. 757-595-5949
<http://www.davidbethel.com> ddb@davidbethel.com

On 10/1/2019 4:53 PM, Joe Lillibridge wrote:

David,

Can you reverse the layout of server 6?
Also, can you change server 5 to FAC?
Can you add another 4-pan FAC (same specs as server #3 main line unit)?

Thanks,
Joe

-----Original Message-----

From: David Bethel <ddb@davidbethel.com>
Sent: Thursday, September 12, 2019 10:13 AM
To: Joe Lillibridge <jlillibridge@vollrathco.com>

Cc: Joe Lillibridge <jlillibridge@vollrathco.com>; James Edson <james.edson@vollrathco.com>; Michael Komendat <mkomendat@vollrathco.com>; Anthony Bruni <anthony.bruni@vollrathco.com>; Joshua Monroe <joshua.monroe@vollrathco.com>

Subject: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 3

09-12-2019 : 10:40:50a

--

Direct Link : <http://www.davidbethel.com/W2HSA>

WACO 2 HIGH SCHOOL ALA CART - JOE LILLIBRIDGE - W2HSA VL-W2HSA : WACO 2 HIGH SCHOOL ALA
CART Created 09-11-2019 : 05:02:53.am

+++++

09-12-2019

Server 5 <-> Update : Standard Cold Well

+++++

09-11-2019

Server 6 <-> Assumptions:

Beverage Air UC34 Refrig

+++++

Thanks! -David

You can now login for your project files on the WEB @

Direct Link: <http://www.davidbethel.com/W2HSA>

Login Code : W2HSA

David Bethel

Fabricated Designs, Inc.

<http://www.davidbethel.com>

v. 757-595-5949

ddb@davidbethel.com

Subject: CORRECTION: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 5 | DUE: 10.18.19
From: Joe Lillibridge <jlillibridge@vollrathco.com>
Date: 10/17/2019, 11:32 AM
To: David Bethel <ddb@davidbethel.com>
CC: James Edson <james.edson@vollrathco.com>, Michael Komendat <mkomendat@vollrathco.com>, Anthony Bruni <anthony.bruni@vollrathco.com>, Joshua Monroe <joshua.monroe@vollrathco.com>

David,

Unit #7 was not changed to an FAC cart. Would you please revise and resend?

Thanks,
Joe

-----Original Message-----

From: David Bethel <ddb@davidbethel.com>
Sent: Wednesday, October 16, 2019 5:43 AM
To: Joe Lillibridge <jlillibridge@vollrathco.com>
Cc: Joe Lillibridge <jlillibridge@vollrathco.com>; James Edson <james.edson@vollrathco.com>; Michael Komendat <mkomendat@vollrathco.com>; Anthony Bruni <anthony.bruni@vollrathco.com>; Joshua Monroe <joshua.monroe@vollrathco.com>
Subject: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 5

10-16-2019 : 06:41:28a

--

Direct Link : <http://www.davidbethel.com/W2HSA>

WACO 2 HIGH SCHOOL ALA CART - JOE LILLIBRIDGE - W2HSA VL-W2HSA : WACO 2 HIGH SCHOOL ALA CART
Created 09-11-2019 : 05:02:53.am

+++++

10-16-2019

Server 5 <-> From : Cold Well To : Forced Air
Server 5 <-> Modify : F-B Depth
Server 5 <-> Remove : Storage

Server 6 <-> Modify : Mirror Cart

Server 7 <-> Add : Clone From W2HDM #3

+++++

10-07-2019

Can you reverse the layout of server 6?
Also, can you change server 5 to FAC?
Can you add another 4-pan FAC (same specs as server #3 main line unit)?

+++++

09-12-2019

Server 5 <-> Update : Standard Cold Well

+++++

09-11-2019

Server 6 <-> Assumptions:
Beverage Air UC34 Refrig

+++++

Thanks! -David

You can now login for your project files on the WEB @

Direct Link: <http://www.davidbethel.com/W2HSA>

Login Code : W2HSA

David Bethel

Fabricated Designs, Inc.

<http://www.davidbethel.com>

v. 757-595-5949

ddb@davidbethel.com

Subject: RE: Series 4 - WACO HIGH ALA - Poche - Due 10-26
From: James Edson <james.edson@vollrathco.com>
Date: 10/26/2020, 7:28 AM
To: David Bethel <ddb@davidbethel.com>

What time is good?

From: David Bethel <ddb@davidbethel.com>
Sent: Sunday, October 25, 2020 8:11 AM
To: James Edson <james.edson@vollrathco.com>
Cc: Jill Hundley <jhundley@vollrathco.com>; Michael Komendat <mkomendat@vollrathco.com>; Anthony Bruni <anthony.bruni@vollrathco.com>
Subject: Re: Series 4 - WACO HIGH ALA - Poche - Due 10-26

Morning !

I'm confused on this 1. Can you give me a call. -David

David Bethel
Fabricated Designs, Inc. v. 757-595-5949
<http://www.davidbethel.com> ddb@davidbethel.com
On 10/16/2020 10:35 AM, James Edson wrote:

1. Remove countertop unit #40880
2. Add 74" Pizza Unit
3. 60" Cold unit now 2 each
4. Add 28" Utility
- 5.

A LA CARTE section on this link only

[View "Copy of Waco ISD - Waco High/SIGSERV" Quote](#)

Jim Edson

CFSP

Sr. Project Developer

THE VOLLRATH CO., LLC

VOLLRATH FOODSERVICE

O: 585-337-3826 | C: 585-633-9752

james.edson@vollrathco.com | vollrathfoodservice.com

Subject: RE: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 10
From: James Edson <james.edson@vollrathco.com>
Date: 4/15/2021, 4:43 PM
To: David Bethel <ddb@davidbethel.com>, Jill Hundley <jhundley@vollrathco.com>

Cart #4 – add storage w/ door
Cart #7 add doors

Please confirm cart 2 and 3 storage would be a waste??

From: David Bethel <ddb@davidbethel.com>
Sent: Thursday, April 15, 2021 7:58 AM
To: James Edson <james.edson@vollrathco.com>; Jill Hundley <jhundley@vollrathco.com>
Subject: WACO 2 HIGH SCHOOL ALA CART - VL-W2HSA - Release # 10

Morning Jim,

Can you give me a cll on this 1. Regards -David

04-15-2021 : 07:53:11a

--

DIRECT LINK : [HTTP://WWW.DAVIDBETHEL.COM/W2HSA/INDEX.HTM](http://www.davidbethel.com/w2hsa/index.htm)

WACO 2 HIGH SCHOOL ALA CART - JAMES EDSON -
VL-W2HSA : WACO 2 HIGH SCHOOL ALA CART
Created 09-11-2019 : 05:02:53.am

+++++

04-15-2021

Server All <-> Update : renumber
Server All <-> Note :
New Project for New Iems 5 6 & 8

+++++

10-26-2020

Server All <-> Modify :

+++++

Remove countertop unit #40880
Add 74" Pizza Unit
60" Cold unit now 2 each
Add 28" Utility
Server 4 <-> Note :
LED lights listed twice
RH End Shelf Listed Twice

+++++

10-23-2019

Server 5,7 <-> Modify : Relocate Air Vents And Switches

+++++

10-18-2019

Server 7 <-> Update : FAC Drop In

+++++

10-16-2019

Server 5 <-> From : Cold Well To : Forced Air

Server 5 <-> Modify : F-B Depth

Server 5 <-> Remove : Storage

Server 6 <-> Modify : Mirror Cart

Server 7 <-> Add : Clone From W2HDM #3

+++++

10-07-2019

Can you reverse the layout of server 6?

Also, can you change server 5 to FAC?

Can you add another 4-pan FAC (same specs as server #3 main line unit)?

+++++

09-12-2019

Server 5 <-> Update : Standard Cold Well

+++++

09-11-2019

Server 6 <-> Assumptions:

Beverage Air UC34 Refrig

+++++

Thanks! -David

David Bethel

Fabricated Designs, Inc.

<http://www.davidbethel.com>

v. 757-595-5949

ddb@davidbethel.com