



To: Penn Jersey Jay Rosenthal 9355 Blue Grass Road Philadelphia, PA 19114-2311 (215)671-9800 609-381-5447 (Contact) 4 Star Quote #: QT_18413	Project: QT 18413 - ABE FISHER - PW8272021	From: 4 Star Reps Phyllis White Serving PA, NJ, and DE 267-522-8991 PWhite@4starreps.com
--	---	--

Thank you for the opportunity to quote. Please submit all purchase orders to PO@4starreps.com and reference the 4 Star Quote number.

Item	Qty	Description
1	1 ea	HD RANGE, 36", 6 OPEN BURNERS Vulcan Model No. V6B36S V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 260,000 BTU, CSA, NSF
	1 ea	NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
	1 ea	NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
	1 ea	1 year limited parts & labor warranty, standard
	1 ea	Natural gas (specify elevation if over 2,000 ft.)
	1 ea	PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)
	1 ea	1-1/4" rear gas connection, standard
	1 ea	Rear gas connection: cap & cover, both ends
	3 ea	SGRATE-VRNG "S" grate, in lieu of standard open burner grate, per 12" section
	1 ea	36IRB-P Salamander Broiler, LP gas, 36" wide, 30,000 BTU heavy duty infrared burner, dual control, (6) grid positions, removable pan, stainless steel front, top & sides, 3/4" gas connection & pressure regulator
	1 ea	1 year limited parts & labor warranty, standard
	1 ea	V36RR Reinforced Riser, for standard or convection ovens (if mounting a 36" cheesemelter or either of the salamanders on a back riser above the heavy duty range, you must add this)
	1 ea	PLUMBIN-KIT Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to heavy duty V-

Item	Qty	Description
		Series ranges
	1 ea	650 degree Oven thermostat with 1/2" steel deck
	2 ea	GSTRIP-BODY Oven banking strip
	1 ea	RACK-OVEN Single oven rack, for standard or convection oven
	1 st	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)
	Class 85	Weight: 1058 lbs total
2	1 ea	HD RANGE, 36", 6 OPEN BURNERS
		Vulcan Model No. V6B36S
		V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 260,000 BTU, CSA, NSF
	1 ea	NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
	1 ea	NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
	1 ea	1 year limited parts & labor warranty, standard
	1 ea	Natural gas (specify elevation if over 2,000 ft.)
	1 ea	PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)
	1 ea	1-1/4" rear gas connection, standard
	1 ea	Rear gas connection: cap & cover, both ends
	3 ea	SGRATE-VRNG "S" grate, in lieu of standard open burner grate, per 12" section
	1 ea	650 degree Oven thermostat with 1/2" steel deck
	1 ea	V36SFL Single-deck flow-thru hi-shelf, non-overlapping, 36"
	1 ea	RACK-OVEN Single oven rack, for standard or convection oven
	1 st	CASTERS-RR4 Casters, 5" (set of 4) (2 with locks)
	Class 85	Weight: 708 lbs total
3	1 ea	GAS FLOOR FRYER
		Vulcan Model No. VFRY18
		V Series Heavy Duty Range Match Fryer, gas, 18", 45-50 lb. fat capacity, electronic ignition, 3/4" regulator, stainless steel exterior finish, 6" adjustable legs, 70,000 BTU, CSA, NSF
	1 ea	NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details
	1 ea	NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information
	1 ea	1 year limited parts & labor, 5 year limited fry tank warranty, standard
	1 ea	Natural gas (specify elevation if over 2,000 ft.)
	1 ea	Controls voltage: 120v/60/1-ph, NEMA 5-15P, standard
	1 ea	3/4" rear gas connection, standard
	1 ea	Rear gas connection: cap & cover, both ends
	1 ea	BASKETS-TWINRD Set of Twin Baskets, for all 35, 45 & 50 lb. fryers
	1 ea	VSPGARD FRYER Removable Splash Guard, 10", stainless steel, for fryer



Item	Qty	Description
	1 ea	CRUMB-SCREEN Mesh Crumb Screen, 1/4"
	1 ea	FRTTOP-90WLD Front Top Ledge, 90" overlapping & welded
	1 ea	VFR122B 18"W x 22"H Fryer riser with basket hanger, for fryer
	1 st	CASTERS-VULSCR Set of 4 adjustable casters, 6" overall height, battery screw mount, (2) with brakes
Class 85		Weight: 215 lbs total

--- OR ---

3A	1 ea	GAS FLOOR FRYER	<Alternate>
		Vulcan Model No. VFRY18F	
		V Series Heavy Duty Range Match Fryer with filter, gas, 18", 45-50 lb. fat capacity, electronic ignition, 3/4" regulator, stainless steel exterior finish, 6" adjustable legs, 70,000 BTU, CSA, NSF	
	1 ea	NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. contact your Vulcan Representative for more details	<Alternate>
	1 ea	NOTE: Specification subject to change without notice. Visit www.vulcanequipment.com for spec sheets & additional information	<Alternate>
	1 ea	1 year limited parts & labor, 5 year limited fry tank warranty, standard	<Alternate>
	1 ea	Natural gas (specify elevation if over 2,000 ft.)	<Alternate>
	1 ea	Controls voltage: 120v/60/1-ph, NEMA 5-15P, standard	<Alternate>
	1 ea	3/4" rear gas connection, standard	<Alternate>
	1 ea	Rear gas connection: cap & cover, both ends	<Alternate>
	1 ea	BASKETS-TWINRD Set of Twin Baskets, for all 35, 45 & 50 lb. fryers	<Alternate>
	1 ea	VSPGARD FRYER Removable Splash Guard, 10", stainless steel, for fryer	<Alternate>
	1 ea	CRUMB-SCREEN Mesh Crumb Screen, 1/4"	<Alternate>
	1 ea	FRTTOP-90WLD Front Top Ledge, 90" overlapping & welded	<Alternate>
	1 ea	VFR122B 18"W x 22"H Fryer riser with basket hanger, for fryer	<Alternate>
	1 st	CASTERS-VULSCR Set of 4 adjustable casters, 6" overall height, battery screw mount, (2) with brakes	<Alternate>
Class 85		Weight: 215 lbs total	

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: _____