


VULCAN


ELEVATION



VH-CIPRI

COPYRIGHT (C) 2022






VH-CIPRI COPYRIGHT (C) 2022



ELEVATION




VH-CIPRI

COPYRIGHT (C) 2022



ELEVATION




VH-CIPRI

COPYRIGHT (C) 2022




NE VIEW



VH-CIPRI COPYRIGHT (C) 2022






VH-CIPRI COPYRIGHT (C) 2022

VULCAN

SSE VIEW



VH-CIPRI

COPYRIGHT (C) 2022



SW VIEW





GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

F FILTERED WATER

H HOT WATER

HOT + COLD
WATER

D DRAIN

POWER

SWITCH

Ф CORD BUTLET RECP

CONNECTION POINT

(C) COLD WATER

© DUPLEX RECPTACLE

→ SINGLE RECPTACLE

GAS

(SS) STEAM SUPPLY

(CR) STEAM RETURN

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

09-16-2022

09-16-2022 : 11:53:21a

Roxanne Holt VULCAN HART COMPANY

PROJECT CODE

CIPRI

v. 41*0*-282-4322

Email:roxanne.holt@yulcanhart.com

VH-CIPRI

COPYRIGHT (C) 2022



ROXANNE HOLT CIPRI **CIPRIANI** 09-16-22