



1	1 EA	VCBB48	CHARBROILER	
		130 MBTU 0.75	32 AFF	
2	1 EA	VSC48	REFRIGERATED BASE	
		120 (1) 6.7A	5-15	
3	1 EA	UST4818	PREP TABLE	
		120 (1) 6.8A	5-15	
4	1 EA	VIFT36S	RANGE	
		135 MBTU 1.25	32 AFF	
5	1 EA	36RB	SALAMANDER	FLUE MOUNT
		50 MBTU 0.75	INTERPLUMB	
6	1 EA	3GR45AF	FRYER BATTERY	
		210 MBTU 1.25	12 AFF	
		120 (1) 9.0A	5-15	
7	1 EA	PASTA	COOKER	
		90 MBTU 0.75	12 AFF	SINGLE
		120 (1) 2.0A	5-15	
		CW 0.50	14 AFF	
		IW 1.50	6 AFF	
8	1 EA	V6B36B	RANGE	
		210 MBTU 1.25	32 AFF	
9	1 EA	VIFT36S	RANGE	
		135 MBTU 1.25	32 AFF	

1	1 EA	SUITE	FABRICATION	MAIN UNIT
	1 EA		H FRAME	
	1 EA		RADIUS END CABINET	
	1 EA		SST WALL SPALSH	
	1 EA		SINGLE POINT CONNECTION	

#### GENERAL NOTES - PLEASE READ

**VENTILATION:**  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

**FIRE SUPPRESSION:**  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

**CONNECTIONS:**  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

**GAS CONNECTIONS:**  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

**BY OTHERS:**  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

**NOTE:**  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURERS RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

●	CONNECTION POINT
○	COLD WATER
○	HOT WATER
○	HOT + COLD WATER
○	DRAIN
○	POWER
○	SWITCH
○	CORD SET
○	CONV OUTLET RECP
○	DUPLEX RECP/TACLE
○	SINGLE RECP/TACLE
○	GAS
○	STEAM SUPPLY
○	STEAM RETURN
○	STEAM TAKE OFF
○	EXHAUST VENT
○	SUPPLY VENT
○	REFRIGERATION

10-13-2021  
10-13-2021 : 04:21:42p  
10-16-2021 : 09:38:55a

PROJECT CODE  
**CORSI**

**VULCAN**  
THE VULCAN HART COMPANY  
BALTIMORE, MARYLAND  
410-284-0660

COOKING SUITE

REVISIONS

By

Date

No.

Revision

Preliminary 4

Final Design Set

10/21/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

10/28/2021

**CORSI ASSOCIATES**  
**EGG HARBOR TWP NJ**

SCALE:  
AS NOTED  
DATE: 10/16/2021  
DRAWN BY: DDB  
VH-CORSI

1

OF 1