





- A Top Layout Operator L-R  
 (1) Drop-in 4 Pan Wet Hot Well  
 625 Watt Wells  
 Touch Temp Controls  
 Open Work Top  
 (1) 3 Pan Drop-in NSF7 Cold Well



Server 5 | Qty 1  
 Utility Counter  
 A Custom Configuration  
 B Custom Counter Width  
 C Casters : 4" (2) w/Brakes  
 D Customer Side V Rib Tray  
 Slide w/ Lift-off Brackets  
 E Drain : 1\2" w/ Ball Valve  
 F Breath Guard By Others  
 Supplied By By Others,  
 Installed By Vollrath

Finishes And Materials  
 Top : \*\* 14 Ga SST  
 Body : Laminate TBD  
 Trim : Standard SST  
 Tray Rail : \*\* 14 GA SST

VOLTS 208  
 1  
 15.5 A  
 ELECTRICAL  
 NEMA 14-20

Equipment	Voltage	L1Amp	L2Amp
Hot Well	208	12.0	12.0
Cold Well	120	3.5	0.0
Total Amps		15.5	12.0

PLUMBING CW: -  
 HW: -  
 WASTE: (2) 0.5" INDIRECT

DENVR

DENVER CHRISTIAN




07-22-21

COPYRIGHT 2021

THE VOLLRATH CO., LLC


SHEBOYGAN, WI



- A Top Layout Operator L-R
- (1) 3 Pan Drop-in NSF7 Cold Well
  - Open Work Top
  - (1) 4 Pan Wet Hot Well
  - 625 Watt Wells
  - Touch Temp Controls

Server 6 | Qty 1  
Utility Counter  
A Custom Configuration  
B Custom Counter Width  
C Casters : 4" (2) w/Brakes  
D Customer Side V Rib Tray  
Slide w/ Lift-off Brackets  
E Drain : 1½" w/ Ball Valve  
F Breath Guard By Others  
Supplied By By Others,  
Installed By Vollrath

Finishes And Materials  
Top : \*\* 14 Ga SST  
Body : Laminate TBD  
Trim : Standard SST  
Tray Rail : \*\* 14 GA SST



VOLTS 208  
Ø 1  
15.5 A

ELECTRICAL  
NEMA 14-20

Equipment	Voltage	L1Amp	L2Amp
Hot Well	208	12.0	12.0
Cold Well	120	3.5	0.0
Total Amps		15.5	12.0

PLUMBING CW: -  
HW: -  
WASTE: (2) Ø.5" INDIRECT

DENVR



DENVER CHRISTIAN





THE VOLLRATH CO., LLC

07-22-21



COPYRIGHT 2021  
SHEBOYGAN, WI



Server 7 | Qty 1  
 Utility Counter  
 A Line Up Locks  
 B Casters : 4" (2) w/Brakes  
 C Customer Side V Rib Tray  
 Slide w/ Lift-off Brackets  
 D Storage Shelf w/o Doors



Finishes And Materials  
 Top : 16 Ga SST  
 Body : Laminate TBD  
 Trim : Standard SST  
 Tray Rail : \*\* 14 GA SST



DENVR

DENVER CHRISTIAN





07-22-21

COPYRIGHT 2021

THE VOLLRATH CO., LLC



SHEBOYGAN, WI







- Server 12 1 Qty 2  
Cold Food Counter  
A (1) 5 Pan Nsf7 Cold Well  
Centered  
B Custom Counter Width  
C Casters : 4" (2) w/Brakes  
D Customer Side V Rib Tray  
Slide w/ Lift-off Brackets  
E Operator Side V Rib Tray  
Slide w/ Lift-off Brackets  
F Drain : 1\2" w/ Ball Valve  
G Breath Guard By Others

Supplied By By Others,  
Installed By Vollrath



#### Finishes And Materials

Top : \*\* 14 Ga SST  
Body : Laminate TBD  
Trim : Standard SST  
Tray Rail : \*\* 14 GA SST



VOLTS 120 60 ELECTRICAL  
Ø 1 1/2 NEMA 5-15  
7.8 A

PLUMBING CW: -  
HW: -  
WASTE: (1) Ø.5" INDIRECT

DENVR

DENVER CHRISTIAN





07-22-21



COPYRIGHT 2021

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



Server 13 | Qty 2  
 Cashier Station  
 A Casters : 4" (2) w/Brakes  
 B Operator RH Side V Rib  
 Tray Slide w /Lift-off  
 Brackets  
 C Operator LH Side V Rib  
 Tray Slide w/ Lift-off  
 Brackets  
 D Storage Shelf w/o Doors  
 E Receptacle And Cord  
 Grommet



Finishes And Materials  
 Top : \*\* 14 Ga SST  
 Body : \*\* 18 Ga SST  
 Trim : Standard SST  
 Tray Rail : \*\* 14 GA SST



VOLTS 120  
 1  
 10.0 Max A

60  
 1  
 1

ELECTRICAL  
 NEMA 5-15

DENVR

DENVER CHRISTIAN



07-22-21

THE VOLLRATH CO., LLC

COPYRIGHT 2021  
 SHEBOYGAN, WI

## GENERAL NOTES - PLEASE READ

### CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

### DIMENSIONS:

ALL DIMENSIONS SHOWN ARE  $\pm 1/4"$

### CONNECTIONS:













ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

### BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

### NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



## CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

05-21-2021

05-21-2021 : 01:49:20p

05-23-2021 : 07:18:13a

05-25-2021 : 06:41:31a

07-22-2021 : 02:15:26p

DENVR

DENVER CHRISTIAN



THE VOLLRATH CO., LLC

07-22-21

COPYRIGHT 2021  
SHEBOYGAN, WI