



161	1 EA	EV12	ELECTRIC RANGE	WORK TOP
162	1 EA	EV36S	ELECTRIC RANGE	FRENCH TOP
②		208 (3)	54.1A	8 AFF

**GENERAL NOTES - PLEASE READ**

**VENTILATION:**  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

**FIRE SUPPRESSION:**  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

**CONNECTIONS:**  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

**GAS CONNECTIONS:**  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

**BY OTHERS:**  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

**NOTE:**  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

◆	CONNECTION POINT
⊖	COLD WATER
⊕	HOT WATER
⊕⊖	HOT + COLD WATER
⊖	DRAIN
⊕	POWER
⊕⊖	SWITCH
⊕⊖	CORD SET
⊕	CONV OUTLET RECP
⊖	DUPLEX RECP/TACLE
⊕	SINGLE RECP/TACLE
⊕	GAS
⊕⊖	STEAM SUPPLY
⊖	STEAM RETURN
⊕	STEAM TAKE OFF
⊖	EXHAUST VENT
⊕	SUPPLY VENT
⊕	REFRIGERATION

09-10-2021

PROJECT CODE  
**DLBOS**

DELTA SKY CLUB  
BOS-E

No.	Date	By	Revision
2	09/10/2021	dcb	LARGE FORMAT

**NEXT STEP DESIGN**  
**913 WEST ST.**  
**ANNAPOLIS, MD 21401**

SCALE:  
AS NOTED  
DATE: 09/10/2021  
DRAWN BY: DDB  
VH-DLBOS