



Project: Rev 2 Q26498 Evansville HS Servery From:

Vollrath Company LLC Michael Curtis S30W27720 Creekside Ct PO Box 611 Waukesha, WI 53188 920-457-4851 262-422-3609 (Contact)

Job Reference Number: 38997

<u>6-SERIES ITEMS ARE NOT PART OF STANDARD VOLLRATH PROGRAMS AND DO NOT</u> QUALIFY FOR THE FREE FREIGHT PROGRAM.

Payment - Standard payment terms are 50% with order, 35% prior to ship and 15% on net 30 days from Date of Invoice, unless otherwise agreed.

Pricing - All quoted prices to Buyer are valid for 90 days from the quoted date, after which time they are subject to change at Seller's discretion.

Storage Fees - In the event Buyer receipt of shipment is delayed 10 business days or more beyond the scheduled and agreed to date, Buyer shall compensate Seller \$100 per day per trailer for storage of completed goods or work in process whether stored at Seller's facility or an independent storage company's facility.

Change Fees - Any changes made by Buyer after Sellers receipt of purchase order and drawing sign off are subject to change fees determined and assessed at the discretion of Seller.

Expediting Fees - Seller will respond to requests to expedite fabrication and shipment on request. Expediting is subject to additional fees, which need to be agreed to and paid by Buyer.

| Item | Qty | Description | Net | Net Total | |
|------|---|---|-------------|-------------|--|
| 1 | 1 ea | 6-SERIES, CUSTOM FABRICATION | \$2,048.00 | \$2,048.00 | |
| | | Vollrath Model No. 26498-1Z | | | |
| | | Worktable | | | |
| | | 6'6" x 30" x 34"H | | | |
| | | * Stainless Steel Legs with Casters | | | |
| | | * Stainless Steel Fixed Undershelf | | | |
| | | * 14 Gauge Stainless Steel Countertop w/Sound Deadening | | | |
| | | * Tracks for Storage of Lids from Mega Top Cooler | | | |
| | * Refer to Detail Drawings for Specific Sizing and Construction Details | | | | |
| | | | ITEM TOTAL: | \$2,048.00 | |
| 22 | 1 ea | 4-SERIES, SERVING SYSTEM | \$13,221.50 | \$13,221.50 | |
| | | | | | |

| Vollrath Company LLC |
|----------------------|
|----------------------|

| 69" > **Th * Sta * Eq & Pr * Sw * Lai Strip * Op <l< th=""><th></th><th></th><th>03/17/202</th></l<> | | | 03/17/202 |
|---|---|-------------|-------------|
| 69" > **TH * Sta * Eq & Pr * Sw * Lai Strip * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 1 in U1 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * No | Description | Net | Net Total |
| **Th * Sta * Eq & Pr * Sw * La Strip * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 3 in U 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sw * La * La * Ue 1 ea FC-4 acco flang gaug HP, 3 in U 1 ea Strip * No * Sta * No | ollrath Model No. 26498-22Z | | |
| * Sta * Eq & Pr * Sw * Lai Strip * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 3 in U 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * NC * Sw * Lai Strip gaug HP, 3 in U 1 ea Drip 27 1 ea 4-SE Volli 44" > | 9" x 28" x 34"H Cold Serving Station | | |
| * Eq & Pr * Sw * Lai Strip * Op * Ou * Sta * 14 * Ve 1 ea FC-4 acco flang gaug HP, 3 in U3 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * No | *This also includes items 23 & 24** | | |
| & Pr * Sw * Lai Strip * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 3 in U 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sw * Lai Bar * Ve 1 ea 4-SE Volli 44" > * Sta * No * Sw * Lai * No * Sta * No | Stainless Steel Construction | | |
| * Sw * La Strip * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 1 in U1 1 ea Drip 27 1 ea 4-SE Volli 44" x * Sta * No * Sta * No * Sta * Sta | Equipment Installed Countertop (See Accessory Item for Equip Spe | ec | |
| * Lai Strip * Op * Ou * Sta * 14 * Ve 1 ea FC-4 acco flang gaug HP, 3 in U3 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * No | Price) | | |
| Strip * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 3 in U 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sw * Lai Strip * No * Sw * Lai Strip * No * Sta * No | Swivel Casters, 4"H, (2) braked | | |
| * Op * Ou * Sta * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, 1 in U 1 ea Drip 27 1 ea 4-SE Volli 44" x * Sta * No * Sta * Sta | Laminated Base (All Sides) with Stainless Steel Corner Trim & Trim | 1 | |
| * Ou * Sta * 14 * Ve 1 ea FC-4 acco flang gaug HP, : in U: 1 ea Drip 27 1 ea 4-SE Volli 44"> * Sta * No * Sta * No | Open Storage with Sliding Doors (Bag In Box Style) (Operator Side) |) | |
| * 14 * Pla * Ve 1 ea FC-4 acco flang gaug HP, : in U! 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * No * Sta * Sta | Outlet on End near Cashier | | |
| * Pla * Ve 1 ea FC-4 acco flang gaug HP, : in U: 1 ea Drip 27 1 ea 4-SE Volli 44"> * Sta * No * Sta * No | Stainless Steel Skirting | | |
| * Ve 1 ea FC-4 acco flang gaug HP, 3 in U 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * No | 14 Gauge Stainless Steel Countertop | | |
| 1 ea FC-4 acco flang gaug HP, 3 in U! 1 ea 1 ea Drip 27 1 ea 27 1 ea 44" x × Sta * No Strip * No 81 1 ea 4-SE Volli 44" x * Sta * No * Sta * No * Sta * Sta * No | Plate Rests (18 Gauge)(Both Sides) | | |
| acco flang gaug HP, 1 in U1 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * Sta * No * Sta * No * Sta * Sta | Velocity Double Sided Adjustable Breath Guard | | |
| flang gaug HP, : in U 1 ea Drip 27 1 ea 4-SE Volli 44" x * Sta * No * Sta * No * Sta * No * Sta * No * Sta * No * Sta * No * Sta * No | C-4C-04120-R Refrigerated Cold Pan, drop-In, 4-pan, 8" deep well, | \$3,476.21 | \$3,476.21 |
| gaug HP, : in U! 1 ea Drip 27 1 ea 4-SE Volli 44" y * Sta * No * Sw * La Strip * No * Gr * Sta * No * Sta * No | ccommodates standard 12" x 20" pans with adaptor bars, drip-free | | |
| HP, 1 in U 1 ea Drip 27 1 ea 4-SE Volli 44" y * Sta * No * Sw * Lai Strip * No * Sta * No * Sta * No * Sw * Lai Strip * No * Sta * Sta * No * Sta * Sta * No * Sta * Sta * No * Sta * Sta * Sta * No * Sta * Sta | ange, polyurethane foam insulated, 300 series stainless steel, 20 | | |
| in U 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sta * No | auge galvanized exterior housing, self contained refrigeration, 1/3 P, 120v/60/1-ph, cord with NEMA 5-15P, 7.8 amps, cULus, NSF, Mad | | |
| 1 ea Drip 27 1 ea 4-SE Volli 44" > * Sta * No * Sw * Lai Strip * No * Sta * Sta * No * Sta * No | USA (contact Vollrath for lead time) | | |
| 27 1 ea 4-SE Volli 44") * Sta * No * Sw * Lai Strip * No * Sta * 14 * No 81 1 ea 4-SE Volli | rip Free Flange, std | | |
| Volli 44") * Sta * No * Sw * Lai Strip * No * Gr * Sta * 14 * No 81 1 ea 4-SE Volli | | ITEM TOTAL: | \$16,697.71 |
| 44" > * Sta * No * Sw * Lai Strip * No * Gr * Sta * 14 * No 81 1 ea 4-SE Volli | -SERIES, SERVING SYSTEM | \$3,613.10 | \$3,613.10 |
| * Sta * No * Sw * Lai Strip * No * Gr * Sta * 14 * No 31 1 ea 4-SE Volli | ollrath Model No. 26498-27Z | | |
| * No * Sw * La Strip * No * Gr * Sta * 14 * No 81 1 ea 4-SE Volli | 4" x 42" x 34"H POS Counter | | |
| * Sw * La Strip * No * Gr * Sta * 14 * No 31 1 ea 4-SE Volli | Stainless Steel Construction | | |
| * La Strip * No * Gr * Sta * 14 * No 81 1 ea 4-SE Volli | No Equipment Install | | |
| Strip * No * Gr * Sta * 14 * No 81 1 ea 4-SE Volli | Swivel Casters, 4"H, (2) braked | | |
| * No * Gr * Sta * 14 * No 31 1 ea 4-SE Volli | Laminated Base (All Sides) with Stainless Steel Corner Trim & Trim | 1 | |
| * Gr * Sta * 14 * No 31 1 ea 4-SE Volli | • | | |
| * Sta * 14 * No 31 1 ea 4-SE Volli | No Storage Grommet on Top and bottom of unit | | |
| * 14 * No 1 1 ea 4-SE Volli | Stainless Steel Skirting | | |
| * No 31 1 ea 4-SE Volli | 14 Gauge Stainless Steel Countertop | | |
| Volli | No Breath Guard | | |
| Volli | | ITEM TOTAL: | \$3,613.10 |
| | -SERIES, SERVING SYSTEM | \$3,613.10 | \$3,613.10 |
| | ollrath Model No. 26498-31Z | | |
| 44" > | | | |
| * Sta | 4" x 42" x 34"H POS Counter | | |
| * Nc | 4" x 42" x 34"H POS Counter Stainless Steel Construction | | |

| | | Vollrath Company LLC | | 03/17/202 | |
|------|------|---|----------------------|----------------------|--|
| Item | Qty | Description | Net | Net Total | |
| | | * Swivel Casters, 4"H, (2) braked | | | |
| | | * Laminated Base (All Sides) with Stainless Steel Corner Trim & Trim | | | |
| | | Strips | | | |
| | | * No Storage | | | |
| | | * Grommet on Top and bottom of unit | | | |
| | | * Stainless Steel Skirting * 14 Gauge Stainless Steel Countertop | | | |
| | | * No Breath Guard | | | |
| | | | | ¢2 612 10 | |
| | | | TEM TOTAL: | \$3,613.10 | |
| 6 | 1 ea | 4-SERIES, SERVING SYSTEM | \$13,221.50 | \$13,221.50 | |
| | | Vollrath Model No. 26498-36Z | | | |
| | | 69" x 28" x 34"H Cold Serving Station **This also includes items 34 & 35** | | | |
| | | This also includes items 34 & 35 Th | | | |
| | | * Stainless Steel Construction | | | |
| | | * Equipment Installed Countertop (See Accessory Item for Equip Spec | | | |
| | | & Price) | | | |
| | | * Swivel Casters, 4"H, (2) braked | | | |
| | | * Laminated Base (All Sides) with Stainless Steel Corner Trim & Trim | | | |
| | | Strips | | | |
| | | * Open Storage with Sliding Doors (Bag In Box Style) (Operator Side) | | | |
| | | * Outlet on End near Cashier | | | |
| | | * Stainless Steel Skirting * 14 Gauge Stainless Steel Countertop | | | |
| | | * Plate Rests (18 Gauge)(Both Sides) | | | |
| | | * Velocity Double Sided Adjustable Breath Guard | | | |
| | 1 ea | FC-4C-04120-R Refrigerated Cold Pan, drop-In, 4-pan, 8" deep well, | \$3,476.21 | \$3,476.21 | |
| | 2.00 | accommodates standard 12" x 20" pans with adaptor bars, drip-free | <i>\\</i> 0) // 0/21 | <i>\\\\\\\\\\\\\</i> | |
| | | flange, polyurethane foam insulated, 300 series stainless steel, 20 | | | |
| | | gauge galvanized exterior housing, self contained refrigeration, 1/3 | | | |
| | | HP, 120v/60/1-ph, cord with NEMA 5-15P, 7.8 amps, cULus, NSF, Mad | e | | |
| | | in USA (contact Vollrath for lead time) | | | |
| | 1 ea | Drip Free Flange, std | | | |
| | | | ITEM TOTAL: | | |
| | | Total | | \$42,669.62 | |

Prices Good Until: 05/24/2022

Sheila Oppeneer

Project Developer THE VOLLRATH CO., LLC 1236 N. 18th Street, Sheboygan, WI 53081 O: 920.459.5222 sheila.oppeneer@vollrathco.com | vollrathcompany.com Acceptance: ______ Date: _____

Printed Name:

Project Grand Total: \$42,669.62