

To: Commercial Glass & Rest. Supply Tyler Fox 4027 Arnold Ave Naples, FL 34104 239-643-0177 (239)643-0177 (Contact) Project: FOXFIRE C.C. NAPLES, FL **From:** Florida REPs, Inc. Bill Burrus 6867 Elianto Way Lake Worth, FL 33467-(813)969-0006 (561)578-2059 (Contact)

Job Reference Number: 6424

ALL PRICES ARE NET, DO NOT TAKE ANY ADDITIONAL DISCOUNTS. FREE FREIGHT TO FLORIDA ON VULCAN ONLY. VULCAN LIFT GATE IS AN ADDITIONAL \$133.00 CHARGE.

Item	Qty	Description				
1	1 ea	CHARBROILER, GAS, COUNTERTOP Vulcan Model No. VACB36 Achiever Charbroiler, countertop, 36", (6) 17,000 BTU cast iron burners, infinite heat control valves, fully welded chassis, (1) drip tray, stainless steel front, sides & top trim, backsplash & grease trough, 4" adjustable legs, 102,000 BTU, CSA, NSF Dimensions 15.5(h) x 36(w) x 31(d)				
	1 ea	1 year limited parts & labor warranty, standard				
1 ea		LP gas (specify elevation if over 2,000 ft.)				
C	ass 85	Weight: 370 lbs total				

## Item Qty

Description

2		1
	VULCAN	VULCAN
	¥ ¥	

## 1 ea GAS FRYER, BATTERY Vulcan Model No. 2GR45MF

- Fryer, gas, 31" W, (2) battery, 45-50 lb. capacity per vat, millivolt thermostat controls, KleenScreen Plus® filtration system, twin baskets, stainless steel cabinet & fry tank, adjustable casters (2 swivel locking & 2 non-locking), 240,000 BTU, CSA Star, CSA Flame, NSF Dimensions 46.25(h) x 31(w) x 30.13(d)
- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea 10 year limited tank warranty, standard
- 1 ea LP gas (specify elevation if over 2,000 ft.)
- 1 ea 120v/60/1-ph, 1/3 hp, 6.0 amps, NEMA 5-15P, for filter, standard
- 2 ea COVER-TANK Stainless steel tank cover/work surface top, for all 35 & 45 lb. gas fryers & Frymate VX15
- 1 ea CONVKIT-3 Micro-Filtration Conversion Kit—Contains Filter Envelopes, Stainless Steel Mesh Insert & Clip (Available for PowerFry5™, PowerFry3™ & GR Series Fryers with KleenScreen PLUS® Filtration System Only), for All MF-1 units & Battery GR45 Fryers with Double Wide Filter Pan Located Under 2 Fryers
- Class 85 Weight: 534 lbs total

1 ea RANGE, 48", 8 OPEN BURNERS

Concession in which the	
-	
-	-

3

## Vulcan Model No. 48S-8B Endurance™ Restaurant Range, gas, 48", (8) 30,000 BTU burners with lift-off burner heads, standard oven, stainless steel front, sides, backriser & high shelf, fully MIG welded frame, 6" adjustable legs, 275,000 BTU, CSA, NSF Dimensions 58(h) x 48(w) x 34(d)

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea LP gas (specify elevation if over 2,000 ft.)
- 1 ea 36RB-P Salamander Broiler, LP gas, 36" wide, 50,000 BTU heavy duty burner, dual control, (6) grid positions, removable pan, stainless steel front, top & sides, 3/4" gas connection & pressure regulator
- 1 ea CONNECT-CHALL Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to Endurance or Challenger Series ranges
- 1 ea RSHELF-XL48 Reinforced highshelf, for 48" medium duty ranges (shipped in separate carton)
- 1 ea Stainless steel backriser & lift-off high shelf, standard
- 2 st CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) (quantity of 2 required)
- Class 85 Weight: 899 lbs total

## Florida REPs, Inc.

Item	Qty	Description									
4	1 ea	Vulcan N Convect controls racks pe steel doo ENERGY	, electronic span r oven, 8" high ors with window	GD louble-deck, stan rk igniters, 60 mii legs, stainless ste vs, (2) 50,000 BTU	nute timer, (5) el front, top 8	nickel plated sides, stainless					
	1 ea	1 year limited parts & labor warranty, standard									
	1 ea	LP gas (specify elevation if over 2,000 ft.)									
	1 ea	(2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard									
	1 ea	Gas manifold piping included with stacking kit to provide single point gas connection									
	1 st	Casters,	set of (4) in lieu	ı of standard legs							
Class 85 Weight: 928 lbs total											
	Manufacturer Summary										
Mfr	FO	В	ZIP	Class	Weight	Good Until	Terms	Notes			
Vulcan	Lo	uisville	40201	85	2,731						

Sales by Vulcan of its products and services are expressly limited to and made conditional on acceptance of its current terms and conditions of sale, found at www.vulcanequipment.com/terms-sale ("Terms"). Any additional or different terms are hereby rejected. Commencement of work by Vulcan or acceptance of delivery of products by purchaser constitutes purchaser's acceptance of the Terms. **QUOTATION GOOD FOR 30 DAYS** 

Acceptance: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name:

Project Grand Total: