



GAS CONNECTION #1
LOCATED IN ITEM: 52
PIPE SIZE: 1.25 NPT
CP HEIGHT: 32" AFF
TOTAL GAS LOAD: 319 MBTU
INCLUDES ITEMS: 57 56 55 52
NOTE:

149	1 EA	1TR45CF	FRYER
120 (1)	6.0A	5-15	
70 MBTU	0.75	12 AFF	
52	1 EA	VWT12B	SPREADER
0 MBTU	1.25	32 AFF	
560	1 EA	VCBB36S	CHARBROILER
149 MBTU	1.25	32 AFF	
56	1 EA	VGMT36S	RANGE
140 MBTU	1.25	MANIFOLD	
57	1 EA	36IRB	SALAMANDER
30 MBTU	0.75	INTERPLUMB	



GENERAL NOTES - PLEASE READ

VENTILATION:
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURERS RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

●	CONNECTION POINT
○	COLD WATER
○	HOT WATER
○	HOT + COLD WATER
○	DRAIN
○	POWER
○	SWITCH
○	CORD SET
○	CONV. OUTLET RECP
○	DUPLEX RECP/TACLE
○	SINGLE RECP/TACLE
○	GAS
○	STEAM SUPPLY
○	STEAM RETURN
○	STEAM TAKE OFF
○	EXHAUST VENT
○	SUPPLY VENT
○	REFRIGERATION

05-24-2021

PROJECT CODE
GAMM5

VULCAN
THE VULCAN HART COMPANY
BALTIMORE, MARYLAND
410-284-0660

PROJECT GAMMA
LINE #5

REVISIONS	By	Date	Revision
	ddb	05/24/2021	NEW PROJECT

NEXT STEP DESIGN
913 WEST ST.
ANNAPOLIS, MD 21401

SCALE:
AS NOTED
DATE: 02/24/2021
DRAWN BY: DDB
VH-GAMM5