
























A Top Layout Operator L-R
(4) Combination Hot/Cold Wells



Server 1 | Qty 1
Utility Counter
A Custom Configuration
B Custom Counter Depth
C Line Up Locks
D 4" Casters (2) w/Brakes
E Customer Side V Rib Tray
Slide w/Lift-off Brackets,
Continuous Surface Height
F Custom 30" Tray Rail
Mounting Height
G (1) 1/2" Drain With Ball
Valve
H SST Skirting All Sides
I Power Pole Pocket
Operator RH End W Grommets
J Contemporary Breath Guard
NSF Single Side Cafeteria
With Top Shelf
Full Width S-S
1" SST Tubular Construction
2" Dia Mounting Flanges
3/8" Tempered Glass
End Panels Both Sides

Finishes And Materials

Top : ** 14 Ga SST
Body : Laminate TBD
Trim : 18 Ga SST
Tray Rail : ** 14 Ga SST
Breath Grd : Brushed SST
Skirt : 18 Ga SST

VOLTS 208
Ø 1
14.0 A

ELECTRICAL
NEMA 14-20

PLUMBING CW: -
HW: -
WASTE: (1) Ø.5" INDIRECT

HOKOH



HOKOHKAM ES



THE VOLLRATH CO., LLC



06-28-21

COPYRIGHT 2021
SHEBOYGAN, WI





Server 2 | Qty 1
Utility Counter

- A Custom Counter Width, Depth & Height
- B Line Up Locks
- C 4" Casters (2) w/Brakes
- D Customer Side V Rib Tray Slide w/Lift-off Brackets, Continuous Surface Height
- E Storage Shelf w/o Doors
- F SST Skirting All Sides



Finishes And Materials

Top : ** 14 Ga SST
Body : Laminate TBD
Trim : 18 Ga SST
Tray Rail : ** 14 Ga SST
Skirt : 18 Ga SST



HOKOH

HOKOHKAM ES







VOLLRATH

06-28-21

COPYRIGHT 2021

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



Server 3 | Qty 1
Cold Food Counter
A (1) 4 Pan Nsf7 Cold Well
B Custom Counter Width,
Depth & Height
C Line Up Locks
D 4" Casters (2) w/Brakes
E Customer Side V Rib Tray
Slide w/Lift-off Brackets,
Continuous Surface Height
F (1) 1\2" Drain With Ball
Valve
G SST Skirting All Sides w/
3 x 3 Opening Operator Side
H Overshelf Breath Guard

Speed Serve
Full Width S-S
LED Light Strip
On Board Switch
*** Single Side Access

Finishes And Materials

Top : ** 14 Ga SST
Body : Laminate TBD
Trim : 18 Ga SST
Tray Rail : ** 14 Ga SST
Breath Grd : Polished SST
Skirt : 18 Ga SST

VOLTS 120
Ø 1
7.8 A
ELECTRICAL
60
W
NEMA 5-15







PLUMBING CW: -
HW: -
WASTE: (1) Ø.5" INDIRECT
HOKOH

HOKOHKAM ES



THE VOLLRATH CO., LLC

06-28-21
COPYRIGHT 2021
SHEBOYGAN, WI



- Server 4 | Qty 1
Utility Counter
- A Custom Counter Depth
 - B 4" Casters (2) w/Brakes
 - C Cashier's LH Side V Rib Tray Slide w/Lift-off Brackets, Continuous Surface Height
 - D Custom 30" Tray Rail Mounting Height
 - E (1) End Oriented Cashier Opening
 - F (1) Cash Drawer
 - G (1) Receptacle And Cord Grommet
 - H SST Skirting All Sides
 - I Power Pole Pocket Operator RH End With Grommets

Finishes And Materials

- Top : 16 Ga SST
- Body : Laminate TBD
- Trim : 18 Ga SST
- Tray Rail : ** 14 Ga SST
- Skirt : 18 Ga SST

VOLTS 120 60 ELECTRICAL
ø 1 10.0 Max A 10.0 Max A NEMA 5-15

HOKOH

HOKOHKAM ES





06-28-21



COPYRIGHT 2021

THE VOLLRATH CO., LLC



SHEBOYGAN, WI



Server 5 | Qty 1
 Cashier Station
 A 4" Casters (2) w/Brakes
 B Operator LH Side V Rib
 Tray Slide w/Lift-off
 Brackets, Continuous
 Surface Height
 C Custom 30" Tray Rail
 Mounting Height
 D Storage Shelf w/o Doors
 E Cash Drawer
 F Receptacle And Cord
 Grommet
 G SST Skirting All Sides w/
 3 x 3 Opening Operator Side



Finishes And Materials
 Top : 16 Ga SST
 Body : Laminate TBD
 Trim : 18 Ga SST
 Tray Rail : ** 14 Ga SST
 Skirt : 18 Ga SST



VOLTS 120
 1
 10.0 Max A

60
 10.0 Max A

ELECTRICAL
 NEMA 5-15

HOKOH

HOKOHKAM ES

VOLLRATH

THE VOLLRATH CO., LLC

06-28-21

COPYRIGHT 2021
 SHEBOYGAN, WI

GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

04-27-2021

04-27-2021 : 09:40:07a

06-28-2021 : 12:09:04p

06-28-2021 : 03:15:25p

HOKOH

HOKOHKAM ES



THE VOLLRATH CO., LLC

06-28-21

COPYRIGHT 2021
SHEBOYGAN, WI