




















HOLLO	
HOLLOMAN ELEM	
	02-23-22
THE VOLLRATH CO., LLC	COPYRIGHT 2021 SHEBOYGAN, WI



Server 44 | Qty 1
 Utility Counter
 A Custom Counter Depth
 B Line Up Locks
 C SST Legs With Adjustable
 Bullet Feet
 D Skirt : SST Toe Kick Alls
 E Storage Shelf w/o Doors
 F With Intermediate Shelf
 G Contemporary Breath Guard

NSF Single Side Cafeteria
 With Top Shelf
 Full Width S-S
 End Panels Both Sides
 Cafeteria Style End Panels

Finishes And Materials

Top : ** 14 Ga SST
 Body : ** 18 Ga SST
 Trim : Standard SST
 Skirt : 18 Ga SST
 Breath Grd : Brushed SST

HOLLO

HOLLOMAN ELEM





02-23-22





COPYRIGHT 2021

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



A Top Layout Operator L-R
(5) Integrated Induction Hot Wells
625 Watt Wells



Server 45 | Qty 1
Hot Food Counter
A Custom Configuration
B Custom Counter Depth
C Line Up Locks
D SST Legs With Adjustable
Bullet Feet
E Skirt : SST Toe Kick Alls
F Operator Side Plate Rest
w/ Lift-off Bracket
G Storage Shelf w/o Doors
H Controls : 3 Level Per
Well
I Contemporary Breath Guard
NSF Single Side Cafeteria
With Top Shelf
Full Width S-S
Cayenne Heat Strip
On Board Switch
End Panels Both Sides
Cafeteria Style End Panels

Finishes And Materials

Top : ** 14 Ga SST
Body : ** 18 Ga SST
Trim : Standard SST
Skirt : 18 Ga SST
Breath Grd : Brushed SST

VOLTS 208 1 23.8 A
ELECTRICAL
NEMA 6-30

Equipment	Voltage	LI Amp	L2 Amp
5 Induction Wells	208	16.5	16.5
Heat Strip	208	7.3	7.3
Total Amps		23.8	23.8

HOLLO



HOLLOMAN ELEM



02-23-22

THE VOLLRATH CO., LLC

COPYRIGHT 2021
SHEBOYGAN, WI



Server 46 1 Qty 1

Utility Counter

A Custom Counter Depth & Height

B Line Up Locks



C SST Legs With Adjustable Bullet Feet

D Skirt : SST Toe Kick Alls

E Customer Side V Rib Tray Slide w/ Lift-off Brackets

F Storage Shelf w/o Doors

G With Intermediate Shelf



Finishes And Materials



Top : ** 14 Ga SST

Body : ** 18 Ga SST

Trim : Standard SST

Skirt : 18 Ga SST

Tray Rail : 18 Ga SST



HOLLO

HOLLOMAN ELEM







VOLLRATH

02-23-22

COPYRIGHT 2021

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



Server 47 1 Qty 1
 Cold Food Counter
 A (1) 4 Pan Nsf7 Cold Well
 B Custom Counter Depth & Height
 C Line Up Locks
 D SST Legs With Adjustable Bullet Feet
 E Skirt : SST Toe Kick Alls
 F Customer Side 10" V Rib Tray Slide w/ Lift-off Brackets
 G Storage Shelf w/o Doors
 H Drain : 1 1/2" w/ Ball Valve
 I Contemporary Breath Guard

NSF Single Side Buffet
 With Top Shelf
 Full Width S-S
 End Panels Both Sides
 Buffet Style End Panels

Finishes And Materials

Top : ** 14 Ga SST
 Body : ** 18 Ga SST
 Trim : Standard SST
 Skirt : 18 Ga SST
 Tray Rail : 18 Ga SST
 Breath Grd : Brushed SST

VOLTS 120 60 ELECTRICAL
 1 1/2 1/2
 7.5 A NEMA 5-15

PLUMBING CW: -
 HW: -
 WASTE: (1) 0.5" INDIRECT

HOLLO

HOLLOMAN ELEM









02-23-22

COPYRIGHT 2021

THE VOLLRATH CO., LLC

SHEBOYGAN, WI



Server 48 1 Qty 1
 Cashier Station
 A Custom Counter Depth
 B Line Up Locks
 C SST Legs With Adjustable
 Bullet Feet
 D Skirt : SST Toe Kick Alls
 E Customer Side 10" V Rib
 Tray Slide w/ Lift-off
 Brackets Custom Mounting
 Height
 G Storage Shelf w/o Doors
 H Cash Drawer
 I Receptacle And Cord
 Grommet

Finishes And Materials

Top : ** 14 Ga SST
 Body : ** 18 Ga SST
 Trim : Standard SST
 Skirt : 18 Ga SST
 Tray Rail : 18 Ga SST

VOLTS 120 60 ELECTRICAL
 1 10.0 Max A 10.0 Max A NEMA 5-15

HOLLO

HOLLOMAN ELEM

VOLLRATH

THE VOLLRATH CO., LLC

02-23-22

COPYRIGHT 2021
 SHEBOYGAN, WI

GENERAL NOTES - PLEASE READ

CONFIGURATION:

THESE DRAWINGS ARE TO BE USED IN CONJUNCTION WITH THE PREPARED QUOTATION AND MUST BE RECONCILED PRIOR TO RELEASE FOR FABRICATION.

DIMENSIONS:

ALL DIMENSIONS SHOWN ARE $\pm 1/4"$

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURE RESERVES THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET
	CONV OUTLET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	REFRIGERATION



CONFIDENTIAL DESIGN

The Vollrath Company, L.L.C. ("Vollrath") considers this new design proprietary and confidential. Due to the existing relationship of trust and good faith between Vollrath and Recipient, Vollrath is providing this proprietary and confidential design and related information to Recipient with the understanding that Recipient will maintain such design and information in secrecy and will not directly or indirectly use, disseminate, or otherwise disclose this proprietary and confidential information to any outside person or organization without the express written prior consent of The Vollrath Company, L.L.C.

09-23-2021

09-23-2021 : 10:55:18a

02-20-2022 : 07:34:13a

02-23-2022 : 09:55:25a

02-23-2022 : 09:56:02a

02-23-2022 : 01:28:38p

02-23-2022 : 02:01:37p

02-23-2022 : 02:03:08p

HOLLO

HOLLOMAN ELEM



THE VOLLRATH CO., LLC

02-23-22

COPYRIGHT 2021
SHEBOYGAN, WI