



# Quote

10/29/2019

**Project:**  
Jeanette MS & HS/SIGSERV

**From:**  
Vollrath Company LLC  
Julie Hein  
1236 North 18th Street  
PO Box 611  
Sheboygan, WI 53082-0611  
920-457-4851  
800-342-4078 6609 (Contact)

Pricing valid for 90 days from date on quote.


All PRICES ARE SUBJECT TO CHANGE without notice; and orders placed for future delivery will be invoiced at the prices in effect at the time of shipment. Freight prepaid by Vollrath with \$3,000 net order. Carrier chosen by Vollrath. Guaranteed delivery dates, dedicated carriers, or other special freight requests are not included in program and will be charged back to customer.

V-CLASS CUSTOM ITEMS ARE NOT PART OF THE PRE-PAID FREIGHT PROGRAM.

A \$5.00 broken case charge will be added for each broken case.  
NOTE: Non-returnable items include, but are not limited to, ware washing racks, Lid Saver, heat strips, plate covers and custom made products. All other items incur a 25% re-stocking fee.

On all custom equipment and material orders, Vollrath will provide drawings for your approval. Lead-time starts when approved drawings are received. Custom built units require 6 to 10 weeks to build, depending on product and level of complexity. The lead time for buyout equipment and materials will have a direct effect on overall product lead time. Lead times and ship dates will not be confirmed without verification from outside vendors.

PLEASE PROVIDE QUOTE WITH YOUR ORDER.

Item	Qty	Description	Sell	Sell Total
1	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M98711 Signature Server® Heated Shelf & 2-Pan NSF7 Station with Stainless Steel Countertop, 88"W x 32"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF	\$17,080.81	\$17,080.81
				
***Modified base size & equipment***				
1 ea		1 year warranty against defects in materials & workmanship		
1 st		SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
1 ea		98836 All stainless finish, for 88" Signature Server®, visible seam each end of base		
1 ea		9879506 Upgrade to 14 gauge stainless steel work surface for, 88"		

Item	Qty	Description	Sell	Sell Total
		Signature Server® Utility Station (required for this breath guard)		
1 ea		FC-4HS-42120-BKF INSTALL ON OPER-RIGHT: Flush Mount Heated Shelf, drop-in, 44"W, for use with countertops up to 2" thick, dual warming zones, (9) heat settings, digital thermostatic control, black aluminum hardcoat finish, 549 watts, 120v/60/1-ph, 4.6 amps, power & control cord, NEMA 5-15P, cULus, NSF		
1 ea		FC-4C-02120-N INSTALL ON OPER-LEFT: NSF7 Refrigerated Cold Pan, drop-In, 2-pan, 6-5/8" deep well, accommodates standard 12" x 20" pans with adaptor bars, drip-free flange, polyurethane foam insulated, 300 series stainless steel, 20 gauge galvanized exterior housing, self contained refrigeration, 1/5 HP, 120v/60/1-ph, cord, NEMA 5-15P, 3.5 amps, cULus, NSF, Made in USA		
1 ea		MA98654 Adjustable Contemporary Breath Guard for 88" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
		***Mid-post centered between drop-ins***		
1 ea		Brushed stainless finish		
1 ea		M91 Cayenne® heat strip w/incandescent lights, for 6-well Contemporary breath guard, onboard control w/toggles, aluminum extruded housing w/calrod heating element, adjustable reflectors, mounts to countertop with 1" stainless tube		
		***Heat & lights over heated shelf***		
		***Lights only over 2-Pan NSF7***		
1 ea		98829-2-O OPERATOR: 88"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®, two 44" sections		
1 ea		9883150-2-C CUSTOMER: 88"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®, two 44" sections		
1 ea		98790 Open storage w/bottom shelf (bag-in-a-box), stainless steel, for 88"W Signature Server®, reinforced shelf, 16½"H opening, opening width depends on unit type		
1 ea		36946 Internal duplex receptacle for field unit (milk cooler): 120v, 4a Located oper-left end		
			<b>ITEM TOTAL:</b>	<b>\$17,080.81</b>
2	1 ea	<b>SERVING COUNTER, HOT FOOD, ELECTRIC</b> Vollrath Model No. M37040 Signature Server® 4-Well Hot Station, 60"W x 32"D x 34"H, (4) 6-3/8" deep full size wells, 625 watts per well, standard Touch-Temp® programmable infinite control for each well, manifold drains, equipment integrated with countertop for seamless & easy-to-clean surface, pull-out ½" drain valve, 18ga/300 series stainless steel top & wells with 1" turndown and welded and polished corners, 18ga/400 series stainless steel enclosed base, stainless steel unibody construction, includes 8' cord & plug, cULus, NSF4, Made in USA	\$10,388.95	\$10,388.95




\*\*\*Modified base size\*\*\*

Item	Qty	Description	Sell	Sell Total
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	9876908 Infinite Dial Controls, with power indicator lights, for Signature Server® Counter with (4) hot wells, 208/240v		
	1 ea	36694 All stainless finish, for 60" Signature Server®, visible seam each end of base		
	1 ea	9879204 Upgrade to 14 gauge stainless steel work surface for, (4) well 60" Signature Server® Hot Food Base (required for this breath guard)		
	1 ea	MA98652 Adjustable Contemporary Breath Guard for 60" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
		***Add mid-post for additional full-serve/self-serve flexibility***		
	1 ea	Brushed stainless finish		
	1 ea	59 Cayenne® heat strip w/incandescent lights, for 6-well Contemporary breath guard, onboard control w/toggles, aluminum extruded housing w/calrod heating element, adjustable reflectors, mounts to countertop with 1" stainless tube		
	1 ea	3751350-2-O OPERATOR: 60"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®		
	1 ea	3752350-2-C CUSTOMER: 60"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®		
	1 ea	36983 Open storage w/bottom shelf (bag-in-a-box), stainless steel, for 46"W Signature Server®, reinforced shelf, 16½"H opening, opening width depends on unit type		
			<b>ITEM TOTAL:</b>	<b>\$10,388.95</b>
3	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M37022 Signature Server® Utility Serving Counter, 60"W x 32"D x 34"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA ***Modified base size; cashier located on end***	\$6,216.96	\$6,216.96
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36694 All Stainless finish for Signature Server® with stainless steel countertops, 60"W models		
	1 ea	9879504 Upgrade to 14 gauge stainless steel work surface for, 60" Signature Server® Utility Station		
	1 ea	3751350-2-O Operator Side- Plate Rest - with lift-off bracket, ADA Signature Server® with Stainless Steel Countertops, 60"W x 7"D		
	1 ea	3752350-2-C Signature Server® V-rib Tray Slide, for customer side, 60"W x 12"D, fold-down/lift-off brackets		
	1 ea	36945 Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless		



Item	Qty	Description	Sell	Sell Total
		steel bill clips/hold downs, aluminum coin breaking plate		
	2 ea	36983 ON OPERATOR SIDE & END: Open Storage, for 60"W Signature Server®, with reinforced bottom shelf (Bag-In-A-Box), 16-1/2"H opening (opening width depends on unit type), stainless steel		
	1 ea	36946 Internal Duplex Receptacle, with countertop cutout & grommet, 120v/60/1-ph		
	1 ea	36946 Internal Duplex Receptacle, with countertop cutout & grommet, 120v/60/1-ph ***For 40886, located opposite cashier position***		
			<b>ITEM TOTAL:</b>	<b>\$6,216.96</b>
3A	1 ea	<b>DISPLAY CASE, REFRIGERATED, COUNTERTOP</b> Vollrath Model No. 40886 Refrigerated Cubed Display Case, countertop, pass-thru, 35-3/8"W x 21-1/4"D x 37"H, (2) front sliding glass doors, (2) rear sliding glass doors, deck plus (2) shelves, illuminated interior, 32° - 68°F temperature range, 1/4 HP, 120v/60/1-ph, 4.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation (model #RDE8436)	\$4,896.77	\$4,896.77
			<b>ITEM TOTAL:</b>	<b>\$4,896.77</b>
<b>***THIS MARKS THE CENTERLINE OF THE MİRRORED LINEUP***</b>				
4	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M37022 Signature Server® Utility Serving Counter, 60"W x 32"D x 34"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA ***Modified base size; cashier located on end***	\$6,216.96	\$6,216.96
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36694 All Stainless finish for Signature Server® with stainless steel countertops, 60"W models		
	1 ea	9879504 Upgrade to 14 gauge stainless steel work surface for, 60" Signature Server® Utility Station		
	1 ea	3751350-2-O Operator Side- Plate Rest - with lift-off bracket, ADA Signature Server® with Stainless Steel Countertops, 60"W x 7"D		
	1 ea	3752350-2-C Signature Server® V-rib Tray Slide, for customer side, 60"W x 12"D, fold-down/lift-off brackets		
	1 ea	36945 Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate		
	2 ea	36983 ON OPERATOR SIDE & END: Open Storage, for 60"W Signature Server®, with reinforced bottom shelf (Bag-In-A-Box), 16-1/2"H opening (opening width depends on unit type), stainless steel		
	1 ea	36946 Internal Duplex Receptacle, with countertop cutout & grommet, 120v/60/1-ph		

Item	Qty	Description	Sell	Sell Total
	1 ea	36946 Internal Duplex Receptacle, with countertop cutout & grommet, 120v/60/1-ph ***For 40886, located opposite cashier position***		
			<b>ITEM TOTAL:</b>	<b>\$6,216.96</b>
4A	1 ea	<b>DISPLAY CASE, REFRIGERATED, COUNTERTOP</b> Vollrath Model No. 40886 Refrigerated Cubed Display Case, countertop, pass-thru, 35-3/8"W x 21-1/4"D x 37"H, (2) front sliding glass doors, (2) rear sliding glass doors, deck plus (2) shelves, illuminated interior, 32° - 68°F temperature range, 1/4 HP, 120v/60/1-ph, 4.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation (model #RDE8436)	\$4,896.77	\$4,896.77
			<b>ITEM TOTAL:</b>	<b>\$4,896.77</b>
5	1 ea	<b>SERVING COUNTER, UTILITY</b> Vollrath Model No. M37023 Signature Server® 4-Well Hot/Cold Serving Counter, 71"W x 32"D x 34"H, 16/300 series stainless steel top with 1" turndown on all sides, enclosed base, 18/400 series stainless steel unibody construction, cULus, NSF, Made in USA ***Modified base size & equipment***	\$18,976.75	\$18,976.75
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	36695 All Stainless finish for Signature Server® with stainless steel countertops, 74"W models		
	1 ea	9879505 Upgrade to 14 gauge stainless steel work surface for, 74" Signature Server® Utility Station (required for this breath guard)		
	1 ea	FC-6HC-04208-AD INTEGRATE W/COUNTERTOP: Hot/Cold Well, top mount, (4) pan, remote mountable panel with on-off switch, hot/cold toggle with indicator lights for hot or cold, thermostatic temperature rotary knob control in hot mode, preset cold control, automatic manifold drain, 300 series stainless well & flange, galvanized wrapper, 625 watts per well, 12.8 amps, 120/208-240v/60/1-ph, cord with NEMA 14-20P, cULus, NSF, Made in USA		
	1 ea	MA98653 Adjustable Contemporary Breath Guard for 60" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
	1 ea	Brushed stainless finish		
	1 ea	46 Fluorescent Lighting Fixture, with prismatic lens cover, for (5) well Contemporary breath guard, aluminum housing, UL, cULus (bulb included)		
	1 ea	3751450-2-O Operator Side- Plate Rest - with lift-off bracket, ADA Signature Server® with Stainless Steel Countertops, 74"W x 7"D		
	1 ea	3752450-2-C Signature Server® V-rib Tray Slide, for customer side, 74"W x 12"D, fold-down/lift-off brackets		
			<b>ITEM TOTAL:</b>	<b>\$18,976.75</b>
6	1 ea	<b>SERVING COUNTER, UTILITY</b>	\$17,080.81	\$17,080.81

Item	Qty	Description	Sell	Sell Total
		Vollrath Model No. M98711 Signature Server® Heated Shelf & 2-Pan NSF7 Station with Stainless Steel Countertop, 88"W x 32"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF		
		***Modified base size & equipment***		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	98836 All stainless finish, for 88" Signature Server®, visible seam each end of base		
	1 ea	9879506 Upgrade to 14 gauge stainless steel work surface for, 88" Signature Server® Utility Station (required for this breath guard)		
	1 ea	FC-4HS-42120-BKF INSTALL ON OPER-LEFT: Flush Mount Heated Shelf, drop-in, 44"W, for use with countertops up to 2" thick, dual warming zones, (9) heat settings, digital thermostatic control, black aluminum hardcoat finish, 549 watts, 120v/60/1-ph, 4.6 amps, power & control cord, NEMA 5-15P, cULus, NSF		
	1 ea	FC-4C-02120-N INSTALL ON OPER-RIGHT: NSF7 Refrigerated Cold Pan, drop-In, 2-pan, 6-5/8" deep well, accommodates standard 12" x 20" pans with adaptor bars, drip-free flange, polyurethane foam insulated, 300 series stainless steel, 20 gauge galvanized exterior housing, self contained refrigeration, 1/5 HP, 120v/60/1-ph, cord, NEMA 5-15P, 3.5 amps, cULus, NSF, Made in USA		
	1 ea	MA98654 Adjustable Contemporary Breath Guard for 88" Signature Server, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, 1-year warranty, Made in USA		
		***Mid-post centered between drop-ins***		
	1 ea	Brushed stainless finish		
	1 ea	M91 Cayenne® heat strip w/incandescent lights, for 6-well Contemporary breath guard, onboard control w/toggles, aluminum extruded housing w/calrod heating element, adjustable reflectors, mounts to countertop with 1" stainless tube		
		***Heat & lights over heated shelf***		
		***Lights only over 2-Pan NSF7***		
	1 ea	98829-2-O OPERATOR: 88"W x 7"D, 18ga stainless steel plate rest on fold-down & lift-off brackets for Signature Server®, two 44" sections		
	1 ea	9883150-2-C CUSTOMER: 88"W x 12"D, 18ga stainless steel V-rib tray slide on fold-down & lift-off brackets for Signature Server®, two 44" sections		
	1 ea	98790 Open storage w/bottom shelf (bag-in-a-box), stainless steel, for 88"W Signature Server®, reinforced shelf, 16½"H opening, opening width depends on unit type		
	1 ea	36946 Internal duplex receptacle for field unit (milk cooler): 120v, 4a		

Item	Qty	Description	Sell	Sell Total
Located oper-right end				
			ITEM TOTAL:	\$17,080.81
			Total	\$85,754.78

Thank you for the opportunity to quote this project!

**Joe Lillibridge**

SR. PROJECT DEVELOPER, THE VOLLRATH CO., LLC

1236 N. 18th Street, Sheboygan, WI 53081

O: 920.459.5455 | [jlillibridge@vollrathco.com](mailto:jlillibridge@vollrathco.com) | [vollrathcompany.com](http://vollrathcompany.com)

**Outperform every day.™**

Acceptance: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Project Grand Total: \$85,754.78