03/17/2021 NL1594

Quote

To: **ITW Food Equipment Group**

> Kelly Kavanaugh 701 S Ridge Ave Chicago, IL 45373-3000

937-332-3000

Kaya

Project:

Winter Park, FL

Job Reference Number: 21L03037

From: Vulcan FEG

Nan Lambert

(502)778-2791

2006 Northwestern Pksw. Louisville, KY 40203

502-515-5085 (Contact)

NOTE: 1/1/2021 LIST price less 50% discount has been reflected on this quotation.

NOTE: Setup and installation of equipment by others.

NOTE: All gas quick disconnect hose kits, restraining devices and caster safety positioning kits specified to be supplied by others.

NOTE: This quote has been prepared based upon an incomplete written specification, equipment schedule, or floor plan only, whereby certain items have been a best guess only and therefore cannot be used as a reference to generate a dealer purchase order. Vulcan will not take responsibility for incorrectly ordered equipment based on this quote. It is therefore the dealer's responsibility to ensure accuracy and verify configuration prior to bidding or ordering.

Item	Qty	Description	Net	Net Total
1	1 ea	TILTING SKILLET BRAISING PAN, GAS Vulcan VG30 Braising Pan, Gas, 30-gallon capacity, 36" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, solid state control, includes L faucet bracket, electric ignition, 12" stainless steel legs with adjustable flanged feet, 90,000 BTU, CSA Flame, CSA Star, UL EPH Classified	\$20,398.00	\$20,398.00
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	120v/60/1-ph, 9.0 amps, cord & plug, standard		
	1 ea	DBLTS 12NZL DOUBLE Pantry Deck-Mount Faucet, 12" swivel spout, includes 4" & 12" riser, NSF & Lead Reduction Compliant (Note: water connection required)	\$433.00	\$433.00
		NOTE: The Vulcan model offered measures 36" W x 35.5" D x 40.50" H		Init ial:

Page 1 of 6

		Vulcan FEG		03/17/202
Item	Qty	Description	Net	Net Total
		on 12" legs.		
		Ex	tended Total:	\$20,831.00
2	1 ea	KETTLE, GAS, STATIONARY	\$17,491.00	\$17,491.00
		Vulcan K20GL Stationary Kettle, Gas, 20-gallon true working capacity, 2/3 jacketed 316 series stainless steel liner with ellipsoidal bottom, spring assist hinged cover with heavy duty pivot assembly, 2" compression draw off valve with perforated strainer, faucet bracket, stainless steel construction, 100,000 BTU	ted	
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
		110-120v/50/60/1-ph, 5.0amps, cord, standard		
	1 ea	NOTE: This unit includes: embossed gallon/liter markings, 316 stainless steel liner & heavy bar rim standard		
	1 ea	DBLTS 18NZLJ DOUBLE Pantry Deck-Mount Faucet, 18" double jointo swivel spout, includes 4" & 12" riser, NSF & Lead Reduction Compli (Note: water connection required)		\$487.00
	1 ea	PIVOT PPS Reinforced Pivot Assembly, for standard spring assist coincluded	ver,	
		EXCEPTIONS:		
		A 30 gallon kettle is not available, offered is the 2/3rds jacketed 20		
		gallon stationary kettle. The unit measures 32.7" W x 34.2" D x 36.8" H floor to rim.		
			tended Total:	\$17,978.00
		OR		
2-ALT	1 ea	KETTLE, GAS, STATIONARY	\$19,652.00	\$19,652.00
		Vulcan K40GL		
		Stationary Kettle, Gas, 40-gallon true working capacity, 2/3 jacketed		
		316 series stainless steel liner with ellipsoidal bottom, spring assis cover with condensate ring, 2" compression draw-off valve with	ι	
		perforated strainer, faucet bracket, stainless steel construction, 100,000 BTU		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	110-120y/50/60/1-ph. 5.0amps, cord. standard		

1 ea 110-120v/50/60/1-ph, 5.0amps, cord, standard

1 ea NOTE: This unit includes: embossed gallon/liter markings, 316 stainless steel liner & heavy bar rim standard

1 ea DBLTS 18NZLJ DOUBLE Pantry Deck-Mount Faucet, 18" double jointed swivel spout, includes 4" & 12" riser, NSF & Lead Reduction Compliant (Note: water connection required)

1 ea PIVOT PPS Reinforced Pivot Assembly, for standard spring assist cover, included

EXCEPTIONS:

1 ea HD RANGE, 18", WORK TOP

A 30 gallon kettle is not available, offered is the 2/3rds jacketed 20 gallon stationary kettle.

The unit measures 36.7" W x 37.55" D x 39.2" H floor to rim.

\$3,486.00 \$3,486.00 Init ial:

Extended Total:

\$487.00

ITW Food Equipment Group

3

\$20,139.00

\$487.00

Item	Qty	Description	Net	Net Total
		Vulcan VWT18B V Series Heavy Duty Range, 18", work top, storage base with cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, CSA, NSF		
	1 ea			
		Gas type to be specified		
		1-1/4" rear gas connection, standard		
		Rear gas connection: cap & cover, both ends		
		Less individual front top ledges fore installation of overlapping front top ledge 90" long.		
	1 ea	FRTTOP-90CMD Front Top Ledge, 90" overlapping common condiment rail	\$1,021.00	\$1,021.00
	1 ea	V18DD double-deck hi-shelf riser, non-overlapping, 18" NOTES:	\$1,648.00	\$1,648.00
		The model offered has a door hinged right only, the door can be removed for an open cabinet base. The unit has an adjustable center shelf and bottom shelf.		
		-	led Total:	\$6,155.00
4	2 ea	HD RANGE, 36", 6 OPEN BURNERS	\$8,778.00	\$17,556.00
7	2 Cu	Vulcan V6B36S	Ç0,770.00	¥17,330.00
		V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 260,000 BTU, CSA, NSF		
	2 ea	1 year limited parts & labor warranty, standard		
	1 ea			
	1 ea	PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas)	\$332.00	\$332.00
	1 ea	1-1/4" front manifold connection		
	1 ea	Front manifold: cap & cover, left		
	6 ea	SGRATE-VRNG "S" grate, in lieu of standard open burner grate, per 12" section	\$393.00	\$2,358.00
	1 ea	34DHS72 Overlapping double-deck hi-shelf, solid shelf, 34" high, 72"and	\$3,369.00	\$3,369.00
	1 ea	1-1/4" rear gas connection, standard		
	1 ea	Rear gas connection: open		
		Less individual front top ledges fore installation of overlapping front top ledge 90" long.		
		NOTE: The riser is for the ranges only.		
		Extend	led Total:	\$23,615.00
5	1 ea	HD RANGE, 18", WORK TOP	\$3,486.00	\$3,486.00
		Vulcan VWT18B V Series Heavy Duty Range, 18", work top, storage base with cabinet doors, stainless steel front, front top ledge, side, base, burner box &		
		stub back, 6" adjustable legs, CSA, NSF		
		1 year limited parts & labor warranty, standard		
		Gas type to be specified		
	1 ea	1-1/4" front manifold connection		

Vulcan FEG 03/17/2021

Item	Qty	Description	Net	Net Total
	1 ea	Front manifold: cap & cover, open		
		Less individual front top ledges and stub risers for installation of overlapping front top ledge and high riser w/ shelves 72" long.		
	1 ea	FRTTOP 72CMD Common condiment type front top, 72"	\$753.00	\$753.00
	1 ea	34DHS72 Overlapping double-deck hi-shelf, solid shelf, 34" high, NOTES:	72" \$3,369.00	\$3,369.00
		The model offered has a door hinged right only, the door can be removed for an open cabinet base.		
		The unit has an adjustable center shelf and bottom shelf.		
		E	xtended Total:	\$7,608.00
6	1 ea	HD RANGE, 18", FRENCH HOT TOP	\$5,755.00	\$5,755.00
		Vulcan V1FT18B		
		V Series Heavy Duty Range, gas, 18", French top, polished cast iro	n,	
		individual pilots & controls, cabinet base, stainless steel front, fro	ont	
		top ledge, sides, base, burner box & stub back, 6" adjustable legs 25,000 BTU, CSA, NSF	,	
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	1-1/4" front manifold connection		
		Front manifold: cap & cover, right		
		Less individual front top ledges and stub risers for installation of overlapping front top ledge and high riser w/ shelves 72" long. NOTES:		
		The model offered has a door hinged right only, the door can be removed for an open cabinet base. The unit has an adjustable center shelf and bottom shelf.		
		E	xtended Total:	\$5,755.00
7	1 ea	MULTI-FUNCTION COOKER, ELECTRIC	\$11,880.00	\$11,880.00
		Vulcan VCS36		
		V-Series Multifunction Cooker, electric, 36", single tank (left-to-r	ight),	
		5 gallon capacity, (6) heating elements, 450°F maximum tempera	ture,	
		water dispenser with integrated safety valve, (2) covers per tank,		
		drain & detachable drain pipe, stainless steel construction, 6"		
		adjustable legs, 9.0kW, NSF, cETLus		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	208v/60/3-ph, 25.0 amps, standard		
	1 ea	DRAIN-CADDY Drain Caddy	\$1,324.00	<optional></optional>
	1 ea	STRCH-SKIMMER Starch Skimmer Drain Plug, for use as a pasta coo		<optional></optional>
	_ 00.	Less individual front top ledges and stub risers for installation of overlapping front top ledge and high riser w/ shelves 72" long.	φ 100100	о р ионан
		NOTES:		
		The Vulcan model offered is an electric unit. Verify the voltage required.		
		The unit is offered with the drain caddy as an option, see installar manual for draining options.	tion	
		E	xtended Total:	\$11,880.00
8	1 ea	HD RANGE, 36" WORK TOP	\$5,702.00	\$5,702.00
	_ 33	Vulcan VWT36B	Ţ-,/ 33	, = , : 0=:30
				Init ial:
<i>ı</i> a		ITW Food Equipment Group		Page 4 o

Kaya

Item	Qty	Description	Net	Net Total
		V Series Heavy Duty Range, 36", work top, cabinet base, stainless st	eel	
		front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	1-1/4" rear gas connection, standard		
	1 ea	Rear gas connection: cap & cover, both ends		
		Less individual front top ledges fore installation of overlapping fron top ledge 90" long.	t	
	1 ea	FRTTOP 90CMD Common condiment type front top, 90"	\$1,021.00	\$1,021.00
	1 ea	V36DD double-deck hi-shelf riser, non-overlapping, 36"	\$1,766.00	\$1,766.00
		NOTE: The Vulcan spreader offered is 36" wide, we do not offer a 37 unit.	y11	
		The unit has double doors that can be removed for an open cabinet base.		
		The unit has a bottom shelf and adjustable center shelf.		40.000.00
			ended Total:	\$8,489.00
9	1 ea	HD RANGE, 36", 2 PLANCHAS	\$7,040.00	\$7,040.00
		Vulcan V2P36		
		V Series Heavy Duty Range, gas, 36", modular, (2) planchas, 1/2" polished steel plate, stainless steel front, front top ledge, sides, barburner box & 4" stub back, 4" flanged feet, 35,000 BTU, CSA, NSF	se,	
	1 ea	1 year limited parts & labor warranty, standard		
		Gas type to be specified		
		PRREGN-3/4 3/4" NPT pressure regulator with reducer	\$141.00	\$141.00
		1-1/4" rear gas connection, standard	φ1.1.00	Ψ1.1.00
		Rear gas connection: cap & cover, both ends		
		34DHS54 Overlapping double-deck hi-shelf, solid shelf, 34" high, 54'	\$2,552.00	\$2,552.00
		VSC36 Refrigerated Base, 36", self-contained, (2) drawers, flat top, stainless steel front & sides, electric condensate evaporator, casters cULus, NSF	\$9,592.00	\$9,592.00
	1 ea	3 year parts & labor warranty, 2 years additional compressor parts warranty, standard		
	1 ea	115v/60/1-ph, 6.7 amps, NEMA 5-15P, standard		
		Compressor on left, standard		
	1 00	Less individual front top ledges fore installation of overlapping fron	+	
		top ledge 90" long.	•	
		NOTE:		
		The Plancha offered has two individual plancha's with a three sided grease trough for each plancha.		
		Each plancha has a one manual control.		
		The Vulcan model offered will be unitized with the refrigerated bas	e	
		and ship as one unit.		
			ended Total:	\$19,325.00
10	1 ea	HD RANGE, 18", WORK TOP	\$3,486.00	\$3,486.00
		Vulcan VWT18B		
		V Series Heavy Duty Range, 18", work top, storage base with cabinet		
		doors, stainless steel front, front top ledge, side, base, burner box &	k	
				Init ial:

Item Qty Description Net **Net Total** stub back, 6" adjustable legs, CSA, NSF 1 ea 1 year limited parts & labor warranty, standard 1 ea Gas type to be specified 1 ea 1-1/4" rear gas connection, standard 1 ea Rear gas connection: cap & cover, both ends Less individual front top ledges fore installation of overlapping front top ledge 90" long. **Extended Total:** \$3,486.00 1 ea GAS FRYER, BATTERY 11 \$30,796.00 \$30,796.00 Vulcan 3TR45CF PowerFry3™ Fryer, gas, high efficiency, 46-1/2" W, (3) battery, 45-50 lb. capacity per vat, programmable computer control with melt cycles, ThreePass™ heat transfer system, electronic ignition, KleenScreen PLUS® filtration system, twin baskets, stainless steel cabinet & fry tank, adjustable casters (2 swivel locking & 2 non-locking), 210,000 BTU, CSA, NSF, ENERGY STAR® 1 ea 1 year limited parts & labor warranty, standard 1 ea 10 year limited tank warranty, standard 1 ea Gas type to be specified 1 ea 120v/60/1-ph, 1/3 hp, 6.0 amps, NEMA 5-15P, for filter, standard NOTES: The Vulcan model offered has (3) 45 lb. fry tanks. The unit measures 31" W x 30.125" D x 36.25" H (working height) 47.25 " H to top of the flue. **Extended Total:** \$30,796.00 Total \$176,057.00 Prices Good Until: 12/31/2021 NOTES: The Vulcan/Wolf/Berkel equipment Offered is produced as per our standard manufacture unless otherwise specified. This Quotation is based on the written or verbal information provided to us. Vulcan FEG assumes no liability for any pricing variances caused by ambiguity or omissions in that information. Spec Sheets for Vulcan/ Wolf/Berkel equipment offered are available on our website @ www.vulcanequipment.com and click on Resource Center.

Init ial: _____

Acceptance: ____
Printed Name:

Project Grand Total: \$176,057.00