


PLAN VIEW



VH-OBER2  
COPYRIGHT (C) 2022


**VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

ELEVATION



VH-OBER2

COPYRIGHT (C) 2022


 **VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

ELEVATION



VH-OBER2

COPYRIGHT (C) 2022


 **VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

ELEVATION



VH-OBER2

COPYRIGHT (C) 2022

 **VULCAN**


ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22



ELEVATION



VH-OBER2

COPYRIGHT (C) 2022


 **VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

NE VIEW



VH-OBER2

COPYRIGHT (C) 2022


VULCAN

ROXANNE HOLT  
OBER2

OBERLIN - H FRAME

09-16-22

NNW VIEW



VH-OBER2

COPYRIGHT (C) 2022


 **VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

SSS VIEW



VH-OBER2

COPYRIGHT (C) 2022


 **VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

SW VIEW



VH-OBER2

COPYRIGHT (C) 2022

 **VULCAN**

ROXANNE HOLT  
OBER2

**OBERLIN - H FRAME**

09-16-22

**GENERAL NOTES - PLEASE READ****VENTILATION:**

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

**FIRE SUPPRESSION:**

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

**CONNECTIONS:**

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

**GAS CONNECTIONS:**



















EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

**BY OTHERS:**

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

**NOTE:**

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

	CONNECTION POINT
	COLD WATER
	FILTERED WATER
	HOT WATER
	HOT + COLD WATER
	DRAIN
	POWER
	SWITCH
	CORD SET/LET RECP
	DUPLEX RECPTACLE
	SINGLE RECPTACLE
	
	GAS
	STEAM SUPPLY
	STEAM RETURN
	EXHAUST VENT
	SUPPLY VENT
	REFRIGERATION

09-14-2022

09-14-2022 : 06:32:46a

09-16-2022 : 08:02:47a

PROJECT CODE

**OBER2**