



GAS CONNECTION #1
LOCATED IN ITEM: 19
PIPE SIZE: 0.75 NPT
CP HEIGHT: 32" AFF
TOTAL GAS LOAD: 219 MBTU
FEEDS: 20 19
NOTE:

17	1 EA	VVT12B	SPREADER
18	1 EA	VSC84	REFRIGERATED BASE
120 (1)	6.7A	5-15	
19	1 EA	VCB836	CHRA BROILER
99 MBTU	0.75	32 AFF	
20	1 EA	TGRD48	GRIDDLE
120 MBTU	1.25	MANIFOLD	
21	1 EA	BY OETHERSCHEESE METLER	WALL MOUNT
30 MBTU	0.75	78 AFF	
24	1 EA	VFRY18	FRYER
70 MBTU	1.25	12 AFF	
120 (1)	3.0A	5-15	
25	1 EA	VFDUMP	FRYMATE
126	1 EA	VX15	DUMP STATION
127	1 EA	1ER50A	FRYER
208 (3)	47.0A	6 AFF	

GENERAL NOTES - PLEASE READ

VENTILATION:
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURERS RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

●	CONNECTION POINT
○	COLD WATER
○	HOT WATER
○	HOT + COLD WATER
○	DRAIN
○	POWER
○	SWITCH
○	CORD SET
○	CONV OUTLET RECP
○	DUPLEX RECP/TABLE
○	SINGLE RECP/TABLE
○	GAS
○	STEAM SUPPLY
○	STEAM RETURN
○	STEAM TAKE OFF
○	EXHAUST VENT
○	SUPPLY VENT
○	REFRIGERATION

07-14-2022

PROJECT CODE
QUNPN

VULCAN
THE VULCAN HART COMPANY
BALTIMORE, MARYLAND
410-284-0660

QUEENS PLAZZA NORTH

REVISIONS	By	Date	Revision
1	ddb	07/14/2022	LARGE FORMAT

NEXT STEP DESIGN
913 A West Street
Annapolis, MD 21401
410-263-1200

SCALE:
AS NOTED
DATE: 07/14/2022
DRAWN BY: DDB
VH-QUNPN