




Project:

ROUNDHILL CC - NEW KITCHEN
EQUIPMENT

From:

TriMark
Dylan Miller
1200 7th street
San Francisco, CA 92131-1650
(510)329-4879 (Contact)

Job Reference Number: 139521

| Item | Qty | Description |
|------|------|---|
| 1 | 2 ea | HD RANGE, 36", 6 OPEN BURNERS  <p>Vulcan Model No. V6B36C V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF</p> <p>2 ea 1 year limited parts & labor warranty, standard 2 ea Natural gas (specify elevation if over 2,000 ft.) 2 ea PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas) 2 ea 1-1/4" front manifold connection 2 ea Front manifold location to be specified 2 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard 1 ea FRTTOP-72WLD Front Top Ledge, 72" overlapping & welded 2 ea V36-TOE 3" toe base, for curb mounting, 36"</p> |
| 2 | 1 ea | HD RANGE, 36", THERMOSTATIC GRIDDLE  <p>Vulcan Model No. VGMT36C V Series Heavy Duty Range, gas, 36", griddle, 3/4" thick polished steel plate, snap action thermostatic controls, convection oven, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs, 122,000 BTU, CSA Flame, CSA Star, NSF</p> <p>1 ea 1 year limited parts & labor warranty, standard 1 ea Natural gas (specify elevation if over 2,000 ft.) 1 ea PRESREG-NA11/4 1-1/4" NPT pressure regulator (Natural gas) 1 ea 1-1/4" front manifold connection 1 ea Front manifold: cap & cover, right 1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard 1 ea V36-TOE 3" toe base, for curb mounting, 36"</p> |
| 3 | 1 ea | CHARBROILER, GAS, COUNTERTOP  <p>Vulcan Model No. VACB47 Achiever Charbroiler, countertop, 46-7/8", (8) 17,000 BTU cast iron burners, infinite heat control valves, fully welded chassis, (2) drip trays, stainless steel front, sides & top trim, backsplash & grease trough, 4" adjustable legs, 136,000 BTU, CSA, NSF</p> |

| Item | Qty | Description |
|------|------|--|
| | 1 ea | 1 year limited parts & labor warranty, standard |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) |
| | 1 ea | SMOKER-VACB47 Wood Assist Achiever Smoker Base, includes: (2) wood crumb/grease tray, designed to be placed on top of an equipment stand/refrigerated base, stainless steel construction (Available as a field-installed accessory on VACBxx-xxx charbroilers produced February 2013 to the present) |
| | 1 ea | NOTE: Only equipment stand STAND/C-VACB47 is compatible with SMOKER-VACB47 |
| | 1 ea | NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. Contact your Vulcan Representative for more details |
| 4 | 1 ea | HD RANGE, 36", 6 OPEN BURNERS Vulcan Model No. V6B36C V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF |
| | 1 ea | 1 year limited parts & labor warranty, standard |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) |
| | 1 ea | PRREGN-001 1" NPT pressure regulator with reducer (Natural gas) |
| | 1 ea | 1-1/4" rear gas connection, standard |
| | 1 ea | Rear gas connection: cap & cover, both ends |
| | 1 ea | 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard |
| | 1 ea | V36-TOE 3" toe base, for curb mounting, 36" |
| 6 | 1 ea | HD RANGE, 36", 6 OPEN BURNERS Vulcan Model No. V6B36C V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF |
| | 1 ea | 1 year limited parts & labor warranty, standard |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) |
| | 1 ea | PRREGN-001 1" NPT pressure regulator with reducer (Natural gas) |
| | 1 ea | 1-1/4" rear gas connection, standard |
| | 1 ea | Rear gas connection: cap & cover, both ends |
| | 1 ea | 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard |
| | 1 st | CASTERS ADJRR4 Casters, 6", adjustable (set of 4) (2 with locks) |
| | | THIS UNIT FOR BANQUET SIDE OF KITCHEN. |
| 7 | 1 ea | HD RANGE, 36", CHARBROILER Vulcan Model No. VCBB36C V Series Heavy Duty Range, gas, 36", charbroiler, cast iron grates & radiants, convection oven, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, 131,000 BTU, CSA, NSF |
| | 1 ea | NOTE: Item qualifies for a no charge equipment check out after the unit has been fully installed & put into service. Contact your Vulcan |

| Item | Qty | Description |
|------|------|--|
| | | Representative for more details |
| | 1 ea | 1 year limited parts & labor warranty, standard |
| | 1 ea | Natural gas (specify elevation if over 2,000 ft.) |
| | 1 ea | PRREGN-001 1" NPT pressure regulator with reducer (Natural gas) |
| | 1 ea | 3/4" rear gas connection, standard |
| | 1 ea | Rear gas connection: cap & cover, both ends |
| | 1 ea | 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard |
| | 1 ea | FRTTOP-60WLD Front Top Ledge, 60" overlapping & welded |
| | 1 ea | VOVER-60ST Stub Riser, 4", overlapping, for 60" ranges |
| | 1 ea | VDOLLY 60 Dolly Frame, 60" |
| | 1 ea | Less legs, for dolly mounting |
| | 1 ea | VGM24B V Series Heavy Duty Range, gas, 24", griddle, 3/4" thick polished steel plate, manual controls, storage base, cabinet doors, stainless steel front, front top ledge, side, base, burner box & stub back, 6" adjustable legs, 60,000 BTU, CSA Flame, CSA Star, NSF |
| | 1 ea | 1 year limited parts & labor warranty, standard |
| | 1 ea | Gas type to be specified |
| | 1 ea | 1-1/4" rear gas connection, standard |
| | 1 ea | Rear gas connection: cap & cover, both ends |
| | | Merchandise |
| | | Freight |

RETURNS: It is the responsibility of the recipient to inspect all goods before accepting a delivery. (Note: signing the packing paperwork / bill of lading is accepting responsibility for the shipment). If there are damages or shortages of any kind, please report by documenting it on the packing paperwork/bill of lading and immediately notify TriMark. The delivered goods were counted and checked before shipping to avoid any errors. If you sign for damages, or shortages without documentation, you do so at your own risk.

Returns will be accepted only up to the 30th day from receipt. All returns require pre-approval and authorization from your TriMark representative. Once approval for your return is issued, you may return the goods with the appropriate paperwork for credit. All returned items must be new and unused in the original packaging, with the original manufacturer's packaging and protective materials in place. Non-stock merchandise is subject to a 30% restocking fee. For small parcel or local route truck pick-up of returnable stock product, a \$25 handling fee will apply. For stock returns requiring LTL pick-up, a fee of \$150 per pallet will be assessed.

Returns made within 30 days will be refunded via original method of payment. Purchases by check will be refunded via check after verification of payment by our bank.

TriMark does not accept returns for the following items:

- Items from orders older than 30 days.
- Hazardous items or flammable liquids.
- Custom merchandise. Logoed merchandise.
- Items that have been used.
- Any item not returned in the condition it was received.
- Any item not in the original manufacturer's packaging.

- Consignment / Demo / Closeout items
- Outlet
- Clearance / Scratch & Dent
- Perishable and Consumable Items (including food and disposables)
- Furniture

Commercial & Home Use Policy: Manufacturer warranties may only cover commercial use for products. Use of items in non-commercial environments may void warranties. The right is reserved to deny a sale or shipment for residential usage; if this occurs, you will be notified as soon as possible.

Delivery & Installation: Installation and delivery are not included unless specified on your order. Basic charges do not include lifting over counters and railings, or removal of appliances being replaced. *If you choose not to have us deliver your equipment, we will not be responsible for any physical damage after it has left our premises.* We gladly give free assistance loading any equipment into your vehicle, but we will *not be responsible for any damage to you, your possessions, or your vehicle during the process.* Inspect all items carefully before leaving our facility.

TERMS OF SALE: *This Quote shall be subject to TriMark's Terms of Sale (<http://www.trimarkusa.com/SiteMedia/SiteResources/Terms/TriMark-Terms-of-Sale.pdf>), which are incorporated herein by reference and shall govern. The parties specifically agree that no signature shall be required in order for this Quote or its applicable terms and conditions to be deemed legally binding and enforceable on Customer where the intent to be so bound can be inferred (including by acceptance or retention of products or services), notwithstanding contrary requirements under any law.*

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: