



ŸULCAN

JOE MARESCA

PLAN VIEW




ELEVATION



ELEVATION


**VULCAN** JOE MARESCA



ELEVATION

**VULCAN** 


JOE MARESCA



ELEVATION

**VULCAN** 


JOE MARESCA



VH-ROYL2 NE VIEW

**VULCAN** 


JOE MARESCA



VH-ROYL2 NNW VIEW


**VULCAN** 

JOE MARESCA



VH-ROYL2 SSE VIEW

JOE MARESCA



VH-ROYL2 SW VIEW

## **GENERAL NOTES - PLEASE READ**

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRIESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURES RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

CONNECTION POINT

C COLD WATER

(H) HOT WATER

HRC WATER

(D) DRAIN

**9** POWER

SWITCH

CORD SET

€ CONV OUTLET RECP

→ DUPLEX RECPTACLE

SINGLE RECPTACLE

GAS

(SS) STEAM SUPPLY

(CR) STEAM RETURN

(ST) STEAM TAKE OFF

VE EXHAUST VENT

VS SUPPLY VENT

(RF) REFRIGERATION

09-25-20|3 ||-25-20|3

01-10-2014

05-30-2014

06-04-2014

Joe Maresca VULCAN HART COMPANY 6 Camelot Drive Trumbull, CT 6611 v. 203-445-0157

f. 203-261-4019

Email: joe.maresca@vulcanhart.com

PROJECT CODE

ROYL2

VH-ROYL2

VH-ROYL2

ŸULCAN │<sub>JOE</sub>

**JOE MARESCA**