





61	1 EA	V6B36S	RANGE
260	MBTU	1.25	32 AFF
62	1 EA	361RB	SALAMANDER WALL MOUNT
30	MBTU	0.75	
65	1 EA	VGMT36S	RANGE
140	MBTU	1.25	32 AFF



#### GENERAL NOTES - PLEASE READ

VENTILATION:  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

●	CONNECTION POINT
○	COLD WATER
○	FILTERED WATER
○	HOT WATER
○	HOT + COLD WATER
○	DRAIN
○	POWER
○	SWITCH
○	CORV OUTLET RECP
○	DUPLEX RECP/TACLE
○	SINGLE RECP/TACLE
○	GAS
○	STEAM SUPPLY
○	STEAM RETURN
○	EXHAUST VENT
○	SUPPLY VENT
○	REFRIGERATION

09-13-2022

PROJECT CODE  
RXRT1

#### NEXT STEP DESIGN

913 A West Street  
Annapolis, MD 21401  
410-263-1200

SCALE:  
AS NOTED  
DATE: 09/13/2022  
DRAWN BY: DDB  
VH-RXRT1

RXR 5X Time Square

LINE 1

**VULCAN**

THE VULCAN HART COMPANY  
BALTIMORE, MARYLAND  
410-284-0660

1  
OF 1