



GAS CONNECTION #1
 LOCATED IN ITEM: 315
 PIPE SIZE: 1.25 NPT
 CP HEIGHT: 32" AFF
 TOTAL GAS LOAD: 230 MBTU
 INCLUDES ITEMS: 315 315.1
 NOTE: LP GAS

GAS CONNECTION #2
 LOCATED IN ITEM: 312
 PIPE SIZE: 1.25 NPT
 CP HEIGHT: 32" AFF
 TOTAL GAS LOAD: 140 MBTU
 INCLUDES ITEMS: 312
 NOTE: LP GAS

309	1 EA	VWT18B	SPREADER		
Ⓐ	0	MBTU	1.25	NA	
312	1 EA	V4B36	RANGE		
Ⓐ	140	MBTU	1.25	32 AFF	LP GAS
315.1	1 EA	VGT12B	RANGE		
Ⓐ	30	MBTU	1.25	MANIFOLD	LP GAS
315	1 EA	VGMT36S	RANGE		
Ⓐ	140	MBTU	1.25	32 AFF	LP GAS
318	1 EA	VWT18B	SPREADER		
Ⓐ	0	MBTU	1.25	NA	

GENERAL NOTES - PLEASE READ

VENTILATION:
 ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:
 ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:
 ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:
 EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

BY OTHERS:
 VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:
 IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURERS RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

- ◆ CONNECTION POINT
- Ⓒ COLD WATER
- Ⓓ HOT WATER
- Ⓔ HOT + COLD WATER
- Ⓕ DRAIN
- Ⓖ POWER
- Ⓗ SWITCH
- Ⓘ CORD SET
- Ⓚ CONV OUTLET RECP
- Ⓛ DUPLEX RECP/ANGLE
- Ⓜ SINGLE RECP/ANGLE
- Ⓝ GAS
- Ⓟ STEAM SUPPLY
- Ⓠ STEAM RETURN
- Ⓡ STEAM TAKE OFF
- Ⓢ EXHAUST VENT
- Ⓣ SUPPLY VENT
- Ⓤ REFRIGERATION

04-01-2021

PROJECT CODE
SLDGC

Lodge At Spruce Peak
 Stowe, VT 05672

No.	Date	By	Revision
02	04/07/2021	ddb	Large Format

NEXT STEP DESIGN
913 WEST ST.
ANNAPOLIS, MD 21401

SCALE:
 AS NOTED
 DATE: 04/07/2021
 DRAWN BY: ddb
 VH-SLDGC