



186	1 EA	VWT12B	SPREADER	
187	1 EA	ARS110	REFRIGERATED STAND	
120 (1)	12.0A	5-15		
188	1 EA	VCB836	CHRA BROILER	
99	MBTU	1.25	32 AFF	
189	1 EA	V4B36	RANGE	
140	MBTU	1.25	32 AFF	
190	1 EA	361RB	SALAMANDER	WALL MOUNT
30	MBTU	0.75	32 AFF	
191	1 EA	VGMT36	GRIDDLE	
90	MBTU	1.25	32 AFF	
192	1 EA	VICM36	CHEESE MELTER	WALL MOUNT
30	MBTU	0.75	78 AFF	



GENERAL NOTES - PLEASE READ

VENTILATION:
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4\"/>

BY OTHERS:
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

◆	CONNECTION POINT
○	COLD WATER
△	HOT WATER
⊕	HOT + COLD WATER
⊖	DRAIN
⚡	POWER
⚙	SWITCH
🔌	CORD SET
⊙	CONV. OUTLET RECP
⊕	DUPLEX RECP/TABLE
⊖	SINGLE RECP/TABLE
⊕	GAS
⊕	STEAM SUPPLY
⊕	STEAM RETURN
⊕	STEAM TAKE OFF
⊕	EXHAUST VENT
⊕	SUPPLY VENT
⊕	REFRIGERATION

08-30-2022

PROJECT CODE
TBE05

VULCAN
THE VULCAN HART COMPANY
BALTIMORE, MARYLAND
410-284-0660

Treasure Beach
Restaurant
186 - 192

REVISIONS

No.	Date	By	Revision
		ddb	

NEXT STEP DESIGN
913 A West Street
Annapolis, MD 21401
410-263-1200

SCALE:
AS NOTED
DATE: 08-30-2022
DRAWN BY: DDB
VH-TRE05