



XXX	1 EA	ARS72	REFRIGERATED BASE
120 (1)	6.7A	5-15	
572	1 EA	VGMT36	GRIDDLE
90 MBTU	1.25	32 AFF	
XXX	1 EA	VICM36	CHEESE MELTER WALL MOUNT
30 MBTU	0.75	78 AFF	
XXX	1 EA	ARS72	REFRIGERATED BASE
120 (1)	6.7A	5-15	
579	1 EA	VGB36	RANGE
210 MBTU	1.25	32 AFF	
580	1 EA	VICM36	CHEESE MELTER WALL MOUNT
30 MBTU	0.75	78 AFF	
851	1 EA	VCB836	CHRAIROILER
99 MBTU	1.25	32 AFF	
582	1 EA	VWT128	SPREADER

#### GENERAL NOTES - PLEASE READ

**VENTILATION:**  
ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

**FIRE SUPPRESSION:**  
ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

**CONNECTIONS:**  
ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

**GAS CONNECTIONS:**  
EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (4" W.C.)

**BY OTHERS:**  
VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

**NOTE:**  
IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURERS RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

●	CONNECTION POINT
○	COLD WATER
○	HOT WATER
○	HOT + COLD WATER
○	DRAIN
○	POWER
○	SWITCH
○	CORD SET
○	CONV OUTLET RECP
○	DUPLEX RECP/TABLE
○	SINGLE RECP/TABLE
○	GAS
○	STEAM SUPPLY
○	STEAM RETURN
○	STEAM TAKE OFF
○	EXHAUST VENT
○	SUPPLY VENT
○	REFRIGERATION

01-01-2022

PROJECT CODE  
**TBE08**

**VULCAN**  
THE VULCAN HART COMPANY  
BALTIMORE, MARYLAND  
410-284-0660

Treasure Beach  
Restaurant 817 ->582

REVISIONS	By	Date	No.
	ddb		

**NEXT STEP DESIGN**  
**913 A West Street**  
**Annapolis, MD 21401**  
**410-263-1200**

SCALE:  
AS NOTED  
DATE: 06-01-2022  
DRAWN BY: DDB  
VH-TBE08