






PLAN VIEW



VH-TCAFE
COPYRIGHT (C) 2022


VULCAN

STEPHANIE MCDANIEL
TCAFE


PINE TREE CAFE

06-25-22

CONNECTIONS



ELEVATION




VH-TCAFE
COPYRIGHT (C) 2022

 **VULCAN**

STEPHANIE MCDANIEL
TCAFE

PINE TREE CAFE
06-25-22

SSE VIEW




VH-TCAFE
COPYRIGHT (C) 2022

 **VULCAN**

STEPHANIE MCDANIEL
TCAFE

PINE TREE CAFE
06-25-22

SSW VIEW



VH-TCAFE
COPYRIGHT (C) 2022

 **VULCAN**

STEPHANIE MCDANIEL
TCAFE

PINE TREE CAFE
06-25-22

GENERAL NOTES - PLEASE READ

VENTILATION:

ALL COOKING EQUIPMENT MUST BE VENTILATED BY AN APPROVED APPLIANCE IN ACCORDANCE WITH ALL APPLICABLE CODES.

FIRE SUPPRESSION:

ALL COOKING EQUIPMENT MUST BE PROTECTED BY AN APPROVED FIRE SUPPRESSION SYSTEM IN ACCORDANCE WITH ALL APPLICABLE CODES.

CONNECTIONS:

ALL PIPING, FITTINGS, AND INTERCONNECTION SERVICES SHOWN ARE TO BE SUPPLIED AND INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES.

GAS CONNECTIONS:

EXTERNAL GAS REGULATORS, FLEXIBLE GAS LINES AND RESTRAINING CABLES PROVIDED WITH THE EQUIPMENT MUST BE INSTALLED BY LICENSED CONTRACTORS IN ACCORDANCE WITH ALL LOCAL CODES. INCOMING GAS MANIFOLD SUPPLY PRESSURE MUST NOT EXCEED 0.5 PSI (14" W.C.)

BY OTHERS:

VERIFY ALL EQUIPMENT LISTED AS BY OTHERS FOR SIZE AND MECHANICAL SERVICE REQUIREMENTS.

NOTE:

IN LINE WITH THE POLICY TO CONTINUALLY IMPROVE ITS PRODUCTS, THE MANUFACTURER RESERVE THE RIGHT TO CHANGE MATERIALS AND SPECIFICATIONS WITHOUT NOTICE.

-  CONNECTION POINT
-  C COLD WATER
-  H HOT WATER
-  H&C HOT + COLD WATER
-  D DRAIN
-  POWER
-  SWITCH
-  CORD SET
-  CONV OUTLET RECP
-  DUPLEX RECPTACLE
-  SINGLE RECPTACLE
-  GAS
-  SS STEAM SUPPLY
-  CR STEAM RETURN
-  ST STEAM TAKE OFF
-  VE EXHAUST VENT
-  VS SUPPLY VENT
-  RF REFRIGERATION

06-25-2022

06-25-2022 : 10:44:58a

PROJECT CODE

TCAFE